Total vegetation cover soil protection Region:LGA Brighton_(M) TAS

Date: January 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jan 2025

Proportion of each land class in area

Land use and forest cover





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



ha)

Total Vegetation Cover Anomaly [%]



Deciles show where the Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Proportion of each land class in area





Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











6

Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments non forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





8

Conservation and natural environments non forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



__100.0 100 95 ---- above_70 90 **——** 10th **——** 50th **——** 2025 Jan 85 80 75 Par 4eb In May PQ Mar 1/2/ month tern Ecosystem Research Infrastructure Australian Government

9

Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments Woodland forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





Total Vegetation Cover Anomaly [%]



- 20 - 10 0 -10-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Conservation and natural environments Woodland forest timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100.0 ---- above_70 **—** 10th **——** 50th **——** 2025 Jan

Water erosion historical monthly area protected (Total Veg Cov>70%)









Agriculture



Proportion of each land class in area

% Area protected from water erosion (>70%)





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)













Grazing



Proportion of each land class in area





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 98 96 94 92 90 88 86 84 Jan 4e0 In Mai May Þb, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing non forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

In month

Water erosion historical monthly area protected (Total Veg Cov>70%)

May







Grazing Woodland forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



100.0% 100 80 Area (%) 60 40 20 · 0.0% 0.0% 0.0% 0 31%-50% 0-30% 51%-70% 71%-100% Total Vegetation Cover class

Proportion of vegetation cover class in area





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









area

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Grazing Woodland forest timeseries



Water erosion historical monthly area protected (Total Veg Cov>70%)







Programm



Irrigation



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





Proportion of each land class in area

Proportion of vegetation cover class in area





Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Irrigation timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)









Brighton_(M) (16,975 ha and no data 140 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	16,975	100.0% 16,975	100.0% 16,975	98.8% 16,775	92.9% 15,775	56.8% 9,650	21.6% 3,675
Conservation and natural environments	2,825	100.0% 2,825	100.0% 2,825	100.0% 2,825	100.0% 2,825	76.1% 2,150	28.3% 800
Conservation and natural environments non forest	725	100.0% 725	100.0% 725	100.0% 725	100.0% 725	58.6% 425	17.2% 125
Conservation and natural environments Woodland forest	2,025	100.0% 2,025	100.0% 2,025	100.0% 2,025	100.0% 2,025	82.7% 1,675	32.1% 650
Agriculture	7,050	100.0% 7,050	100.0% 7,050	100.0% 7,050	97.2% 6,850	66.0% 4,650	29.4% 2,075
Grazing	6,450	100.0% 6,450	100.0% 6,450	100.0% 6,450	97.3% 6,275	68.6% 4,425	31.8% 2,050
Grazing non forest	6,100	100.0% 6,100	100.0% 6,100	100.0% 6,100	97.1% 5,925	68.4% 4,175	31.1% 1,900
Grazing Woodland forest	325	100.0% 325	100.0% 325	100.0% 325	100.0% 325	69.2% 225	38.5% 125
Irrigation	450	100.0% 450	100.0% 450	100.0% 450	94.4% 425	38.9% 175	5.6% 25



