Total vegetation cover soil protection Region:LGA Launceston_(C) TAS

Date: August 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Aug 2024

Land use and forest cover

Proportion of each land class in area




12%2000

52% 70%


32%50%


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Catchment Scale


of Australia (2018)


Derived from

Use of Australia


(2018) and Forests

of Australia (2018)







Total Vegetation Cover Decile [%]






2









Conservation and natural environments

forest

1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest

12%-100


52% 70%

320050010


0.30%

2 Conservation and natural environments - Woodland


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Land use and forest cover




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





20

10


0


-10

-20




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments non forest

Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-forest Catchment Scale Land (2018) and Forests of Australia (2018)


Land use and forest cover


Derived from

mean of that


Use of Australia

Total Vegetation Cover [%]





% Area protected from water erosion (>70%)





98.0%

71%-100%



100

40

20

0

0.0%

0-30%



Total Vegetation Cover class

% Area protected from wind erosion (>50%)


0.0%

31%-50%


2.0%

51%-70%


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]





0


-10

-20



8

Conservation and natural environments non forest timeseries




---- above_70

2024 Aug


—— 10th


—— 50th



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



12%-2000


52%70%

320050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]







Conservation and natural environments Woodland forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments Forest (non woodland)

Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%200%


52%70%


320050010

Land use and forest cover


Total Vegetation Cover [%]













% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries





Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

12%-100

52% 70%

32%50%

0.30%

Land use and forest cover

Catchment Scale

Derived from


Use of Australia

(2018) and Forests


of Australia (2018)

Land Use and Forests of Australia (2018)


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]





1**2**







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

100 <u>99.9</u> 99.7 99 ---- above_70 **—** 10th **--** 50th 2024 Aug 98 97 96 fer Jan In way War PQ1 month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





Grazing


12%-100

520101001


32%50%

0.30%


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**





20

10


0


-10

-20





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Grazing non forest


12%200

52% 70%


32%50%

0.30%


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area

99.3%

% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Derived from

Use of Australia





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Grazing Woodland forest




Total Vegetation Cover [%]

Land use and forest cover






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]













Water erosion historical monthly area protected (Total Veg Cov>70%)





Jun

In



Production native forests and plantation forests

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

is, red pixels are about 20% lower than the

mean of that

pixel. The mean is only for the month of the map

from 2001 to 2019.



Land use and forest cover

1 Production native forests and plantation forests


12%200

52%70%


32005001

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







29



Production native forests and plantation forests timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)



Launceston_(C) (141,200 ha and no data 127 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	141,200	100.0% 141,150	99.7% 140,825	97.8% 138,125	92.6% 130,775	68.0% 96,050	36.6% 51,650
Conservation and natural environments	23,700	100.0% 23,700	99.7% 23,625	99.1% 23,475	96.8% 22,950	78.2% 18,525	42.5% 10,075
Conservation and natural environments non forest	2,500	100.0% 2,500	100.0% 2,500	98.0% 2,450	92.0% 2,300	52.0% 1,300	26.0% 650
Conservation and natural environments Woodland forest	10,625	100.0% 10,625	99.8% 10,600	99.1% 10,525	97.2% 10,325	81.6% 8,675	42.8% 4,550
Conservation and natural environments Forest (non woodland)	10,575	100.0% 10,575	99.5% 10,525	99.3% 10,500	97.6% 10,325	80.9% 8,550	46.1% 4,875
Agriculture	37,600	100.0% 37,600	100.0% 37,600	99.4% 37,375	90.2% 33,925	48.9% 18,375	22.1% 8,325
Grazing	36,500	100.0% 36,500	100.0% 36,500	99.5% 36,300	90.3% 32,950	49.6% 18,100	22.4% 8,175
Grazing non forest	27,425	100.0% 27,425	100.0% 27,425	99.3% 27,225	88.8% 24,350	45.4% 12,450	20.9% 5,725
Grazing Woodland forest	8,675	100.0% 8,675	100.0% 8,675	100.0% 8,675	94.5% 8,200	62.0% 5,375	25.9% 2,250
Production native forests and plantation forests	62,350	100.0% 62,325	99.9% 62,300	99.7% 62,150	97.7% 60,900	81.4% 50,775	46.7% 29,125

