Total vegetation cover soil protection Region:LGA Campaspe_(S) VIC

Date: July 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jul 2024

Land use and forest cover

Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments -Non-Woodland forest 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


12%200%

· 52°10'10°10


3201050010


. 0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Proportion of each land class in area

Total Vegetation Cover Anomaly [%]



Catchment Scale

of Australia (2018)

(2018) and Forests


of Australia (2018)


Derived from

Use of Australia

Land Use and Forests


Catchment Scale Land











Conservation and natural environments

1200000

· 52°10°70°10

500%

32010

0.30%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That

are about 20% lower than the

pixel. The mean


using baseline

from 2001 to 2019.

is only for the month of the map


is, red pixels

mean of that





Total Vegetation Cover [%]

Land use and forest cover












Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Water erosion historical monthly area protected (Total Veg Cov>70%)




5


Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]






Ø

Conservation and natural environments non forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 90 80-70-60 50-4eb way In Par In In Wat 291 month Ecosystem Research Infrastructure Australian Government

Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Forest (non woodland)

Land use and forest cover

Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-woodland forest Catchment Scale Land


12%200%

· 52%70%


32%50%

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

Derived from


Use of Australia (2018) and Forests of Australia (2018)



Area protected 100.0% of region (7,475 ha)

Total Vegetation Cover Decile [%]


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels

mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


are about 20% lower than the


Land use and forest cover

Proportion of each land class in area





Total Vegetation Cover [%]






% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


20

10


0

-10


-20




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Agriculture timeseries

100 90 80-70-60 50 40 30-4eb lan In way War 1st P.Q1 month Ecosystem Research Infrastructure Australian Government



Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



120000


52°1070°1

50%


32010

0.30%

Total Vegetation Cover [%]









100 97.9% 80 60 Area (%) 40 20 1.0% 0 -0.51.00.0 0.5 1.5 2.0 2.5 Land use class

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Proportion of each land class in area

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Grazing timeseries


100 90 80 70-60 50-40 30-20-4eb lar way In Mar In In PQ month Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





Grazing non forest

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






In the lowest 10% records for that me the map using bas from 2001 to 2019






Grazing non forest timeseries





Cropping

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






10



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Cropping timeseries

100-80-60-40 20-4eb way In In In 12r Wal 26, month National Landcare Ecosystem Research Infrastructure Australian Government Programme


13

Water erosion historical monthly area protected (Total Veg Cov>70%)





Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]





% Area protected from water erosion (>70%)



0.5

0

-0.5

0.0

Proportion of each land class in area

Proportion of vegetation cover class in area

1.0


Land use class

1.5


1.5%

2.5

2.0




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Irrigation timeseries





Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Water erosion historical monthly area protected (Total Veg Cov>70%)



Campaspe_(S) (444,850 ha and no data 7,104 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and forest cover Class | area(ha) | above_30 | above_50 | above_70 | above_80 | above_90 | above_95 |
|---|----------|-------------------|-------------------|------------------|------------------|-----------------|----------------|
| Entire region | 444,850 | 99.9% 444,550 | 99.7% 443,525 | 94.0% 418,225 | 69.0% 306,875 | 18.6% 82,750 | 5.6% 25,025 |
| Conservation and natural environments | 17,075 | 100.0% 17,075 | 100.0% 17,075 | 99.4% 16,975 | 93.0% 15,875 | 58.3% 9,950 | 23.9% 4,075 |
| Conservation and natural environments non forest | 6,625 | 100.0% 6,625 | 100.0% 6,625 | 98.5% 6,525 | 84.2% 5,575 | 34.7% 2,300 | 8.3% 550 |
| Conservation and natural environments Forest (non woodland) | 7,475 | 100.0% 7,475 | 100.0% 7,475 | 100.0% 7,475 | 98.3% 7,350 | 79.3% 5,925 | 38.5% 2,875 |
| Agriculture | 386,475 | 100.0% 386,475 | 99.9% 386,025 | 94.2% 363,925 | 67.2% 259,900 | 14.3% 55,325 | 3.7% 14,375 |
| Grazing | 108,350 | 100.0% 108,350 | 100.0% 108,300 | 95.0% 102,925 | 72.5% 78,525 | 20.6% 22,300 | 5.9% 6,400 |
| Grazing non forest | 106,075 | 100.0% 106,075 | 100.0% 106,025 | 94.9% 100,650 | 72.0% 76,350 | 19.7% 20,850 | 5.6% 5,950 |
| Cropping | 92,700 | 100.0% 92,700 | 99.8% 92,475 | 91.4% 84,725 | 61.7% 57,200 | 12.9% 11,950 | 3.5% 3,250 |
| Irrigation | 183,600 | 100.0% 183,600 | 99.9% 183,425 | 95.1% 174,575 | 66.9% 122,875 | 11.3% 20,725 | 2.5% 4,600 |
| Production native forests and plantation forests | 13,200 | 100.0% 13,200 | 100.0% 13,200 | 99.8% 13,175 | 99.4% 13,125 | 81.1% 10,700 | 33.3% 4,400 |

