Total vegetation cover soil protection Region:LGA Casey_(C) VIC

Date: October 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Oct 2021

Land use and forest cover

Proportion of each land class in area



Derived from




120010000

52°10°10°10


320050010


1 0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)





Total Vegetation Cover Anomaly [%]



















Conservation and natural environments


Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Nonwoodland forest

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Area protected 100.0% of region (2,175 ha)










---- above_70


— 10th

—— 50th

— 2021 Oct




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Area protected 100.0% of region (1,075 ha)









Conservation and natural environments non forest timeseries






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100.0 ---- above_70 **—** 10th **——** 50th **—** 2021 Oct




Conservation and natural environments Woodland forest

Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Total Vegetation Cover Decile [%]







Deciles show where the

pixel value lies in the

record, from highest to

lowest, for that month.


records for that month of


the map using baseline

That is, red pixels are


in the lowest 10% of

from 2001 to 2019.






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Conservation and natural environments Forest (non woodland)

Land use and forest cover



Total Vegetation Cover [%]






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







- 20


· 10

· 0


-10


-20

Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Agriculture


Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Agriculture - Grazing - Non forest
Agriculture - Grazing - Woodland forest
Agriculture - Grazing - Non-woodland forest
Agriculture - Cropping - Non-irrigated
5 Agriculture - Horticulture - Non-irrigated
6 Agriculture - Horticulture - Irrigated

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





Proportion of each land class in area

Proportion of vegetation cover class in area

Land use class

4


5

6


3

1

2





% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]







Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are

records for that month of


the map using baseline from 2001 to 2019.

in the lowest 10% of




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Agriculture timeseries



Grazing


Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]


% Area protected from water erosion (>70%)






Proportion of each land class in area

Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







12010-200%

· 52°10'70°10

320050010


0.30%













Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Grazing timeseries



Grazing non forest


12º100010

· 52°10°70°10


32005000

0.30%


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


















Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Grazing non forest timeseries





Horticulture

Land use and forest cover




Total Vegetation Cover [%]







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]







Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

records for that month of


the map using baseline

in the lowest 10% of

from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



year

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Horticulture timeseries




Irrigation

Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)





Total Vegetation Cover Anomaly [%]

























Irrigation timeseries



Casey_(C) (40,050 ha and no data 773 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	40,050	100.0% 40,050	98.1% 39,300	72.7% 29,100	49.3% 19,725	17.4% 6,950	6.4% 2,550
Conservation and natural environments	2,175	100.0% 2,175	100.0% 2,175	100.0% 2,175	97.7% 2,125	74.7% 1,625	40.2% 875
Conservation and natural environments non forest	1,075	100.0% 1,075	100.0% 1,075	100.0% 1,075	97.7% 1,050	62.8% 675	23.3% 250
Conservation and natural environments Woodland forest	725	100.0% 725	100.0% 725	100.0% 725	96.6% 700	86.2% 625	62.1% 450
Conservation and natural environments Forest (non woodland)	375	100.0% 375	100.0% 375	100.0% 375	100.0% 375	86.7% 325	46.7% 175
Agriculture	13,050	100.0% 13,050	97.5% 12,725	77.0% 10,050	55.0% 7,175	18.8% 2,450	5.9% 775
Grazing	10,950	100.0% 10,950	97.5% 10,675	79.9% 8,750	61.4% 6,725	21.7% 2,375	7.1% 775
Grazing non forest	10,825	100.0% 10,825	97.5% 10,550	79.7% 8,625	61.0% 6,600	21.2% 2,300	6.7% 725
Horticulture	1,225	100.0% 1,225	98.0% 1,200	55.1% 675	14.3% 175	4.1% 50	0.0% 0
Irrigation	750	100.0% 750	96.7% 725	70.0% 525	26.7% 200	0.0% 0	0.0% 0

