## Total vegetation cover soil protection Region:LGA Gannawarra\_(S) VIC

# Date: April 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




### **Vegetation Cover Apr 2025**

Proportion of each land class in area







#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)








% Area protected from water erosion (>70%)



Area not protected 28.7% of region (106,685 ha) Area


Area protected 71.3% of region (265,040 ha)

**Total Vegetation Cover Anomaly [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












### **Conservation and natural environments**




#### Proportion of each land class in area






**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







2



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Conservation and natural environments non forest**




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area


#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


records for that month of

the map using baseline from 2001 to 2019.

in the lowest 10% of




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Conservation and natural environments Woodland forest**




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






-10


-20



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)








Wind erosion historical monthly area protected (Total Veg Cov >50%)

### **Conservation and natural environments Forest (non woodland)**



Proportion of vegetation cover class in area

0.0%

Total Vegetation Cover class

% Area protected from wind erosion (>50%)

31%-50%

0.4%

51%-70%

0.0%

0-30%


0

99.6%

71%-100%




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



### Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Irrigated Derived from 4 Agriculture - Cropping - Non-irrigated Catchment Scale Lang 5 Agriculture - Cropping - Irrigated Use of Australia (2018) and Forests of Australia (2018) 6 Agriculture - Horticulture - Non-irrigated 7 Agriculture - Horticulture - Irrigated Total Vegetation Cover [%] 12%100% 52%70% 32005001 0.30%

% Area protected from water erosion (>70%)





Area not

#### Proportion of each land class in area




#### Proportion of vegetation cover class in area






**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






12




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### **Agriculture timeseries**





Wind erosion historical monthly area protected (Total Veg Cov >50%)

### Grazing




Proportion of each land class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


### Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




### **Grazing non forest**




**Total Vegetation Cover [%]** 





% Area protected from water erosion (>70%)













Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### Grazing non forest timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)




### Cropping




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### **Cropping timeseries**

Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-80 60-40-20-0 -4eb In May Jan Wal hy, *V*6, month tern Ecosystem Research Infrastructure Australian Government








### Irrigation


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated Catchment Scale Lang 3 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018) Total Vegetation Cover [%] 12%100% 52% 70% · 32%50%

% Area protected from water erosion (>70%)







0.30%




#### Proportion of each land class in area

Proportion of vegetation cover class in area






**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







100

90-

80

70-

60


50-

40-

30-

20-

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### Irrigation timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Production native forests and plantation forests**




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)











**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







### **Production native forests and plantation forests timeseries**




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Gannawarra\_(S) (371,725 ha and no data 1,840 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	371,725	99.9% 371,425	98.9% 367,475	71.3% 264,875	39.6% 147,350	11.6% 43,175	5.4% 20,250
Conservation and natural environments	24,000	99.6% 23,900	98.8% 23,700	91.2% 21,900	70.5% 16,925	34.3% 8,225	20.3% 4,875
Conservation and natural environments non forest	12,000	99.2% 11,900	97.5% 11,700	83.5% 10,025	52.7% 6,325	10.4% 1,250	4.8% 575
Conservation and natural environments Woodland forest	5,500	100.0% 5,500	100.0% 5,500	98.2% 5,400	75.9% 4,175	22.7% 1,250	8.6% 475
Conservation and natural environments Forest (non woodland)	6,500	100.0% 6,500	100.0% 6,500	99.6% 6,475	98.8% 6,425	88.1% 5,725	58.8% 3,825
Agriculture	322,225	100.0% 322,150	98.9% 318,825	68.4% 220,450	34.9% 112,600	7.2% 23,350	2.2% 7,225
Grazing	23,100	100.0% 23,100	98.9% 22,850	79.2% 18,300	44.6% 10,300	8.2% 1,900	2.6% 600
Grazing non forest	22,800	100.0% 22,800	98.9% 22,550	78.9% 18,000	44.3% 10,100	8.3% 1,900	2.6% 600
Cropping	157,800	100.0% 157,800	98.7% 155,725	52.7% 83,175	21.2% 33,400	5.2% 8,175	1.7% 2,750
Irrigation	141,200	99.9% 141,125	99.2% 140,125	84.2% 118,850	48.8% 68,850	9.4% 13,275	2.7% 3,875
Production native forests and plantation forests	12,275	100.0% 12,275	100.0% 12,275	98.8% 12,125	97.1% 11,925	81.5% 10,000	61.5% 7,550

