

# Total vegetation cover soil protection

Region:LGA Glenelg\_(S) VIC

Date: May 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool <https://map.geo-rapp.org/#australia>. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region.

Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
- 51-70% Moderate cover - protected from wind erosion
- 31-50% Low cover - not protected
- 0-30% Very Low cover - not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available.

Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

- Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

1. <http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification>
2. <http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018>
3. <https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover>
4. MODIS Fractional cover algorithm:  
<https://doi.org/10.4225/08/5848a3f19a7b3>



**tern**  
Ecosystem Research Infrastructure




National  
Landcare  
Programme



# Vegetation Cover May 2025


**Land use and forest cover**

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)





Legend with land class forest cover and number, i.e. Forests is 12	
1 Conservation and natural environments - Non-forest	
2 Conservation and natural environments - Woodland forest	
3 Conservation and natural environments - Non-Woodland forest	
4 Agriculture - Grazing - Non-forest	
5 Agriculture - Grazing - Woodland forest	
6 Agriculture - Grazing - Non-woodland forest	
7 Agriculture - Grazing - Irrigated	
8 Agriculture - Cropping - Non-irrigated	
9 Agriculture - Cropping - Irrigated	
10 Agriculture - Horticulture - Non-irrigated	
11 Agriculture - Horticulture - Irrigated	
12 Production native forests and plantation forests	
13 Other uses	


**Proportion of each land class in area**




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**





**% Area protected from water erosion (>70%)**



**% Area protected from wind erosion (>50%)**





**Total Vegetation Cover Anomaly [%]**



Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




**tern**  
Ecosystem Research Infrastructure










Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Historical monthly area protected (Total Veg Cov>80%)



**tern**  
Ecosystem Research Infrastructure




National  
Landcare  
Programme



# Conservation and natural environments


## Land use and forest cover

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




- 1 Conservation and natural environments - Non-forest
- 2 Conservation and natural environments - Woodland forest
- 3 Conservation and natural environments - Non-woodland forest


## Proportion of each land class in area




## Total Vegetation Cover [%]



- 0-30%
- 31-50%
- 51-70%
- 71-100%




## % Area protected from water erosion (>70%)




- Area not protected  
2.1% of region  
(1,762 ha)
- Area protected  
97.9% of region  
(82,138 ha)

## % Area protected from wind erosion (>50%)




- Area not protected  
0.0% of region (0 ha)
- Area protected  
100.0% of region  
(83,900 ha)

## Total Vegetation Cover Anomaly [%]





Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



**tern**

Ecosystem Research Infrastructure




Australian Government




## Conservation and natural environments timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)



tern  
Ecosystem Research Infrastructure




Australian Government



# Conservation and natural environments non forest


**Land use and forest cover**

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




1 Conservation and natural environments - Non-forest

**Total Vegetation Cover [%]**




71%-100%  
51%-70%  
31%-50%  
0-30%

**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**




Area not protected  
15.2% of region  
(1,379 ha)  
Area protected  
84.8% of region  
(7,696 ha)

**% Area protected from wind erosion (>50%)**



Area not protected  
3.0% of region  
(272 ha)  
Area protected  
97.0% of region  
(8,803 ha)

**Total Vegetation Cover Anomaly [%]**




Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

20  
10  
0  
-10  
-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]**




10  
9  
8  
7  
6  
5  
4  
3  
2  
1




**tern**  
Ecosystem Research Infrastructure




## Conservation and natural environments non forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)





# Conservation and natural environments Woodland forest

**Land use and forest cover**


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**



**% Area protected from wind erosion (>50%)**




**Total Vegetation Cover Anomaly [%]**



Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




**tern**

Ecosystem Research Infrastructure




## Conservation and natural environments Woodland forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




# Conservation and natural environments Forest (non woodland)

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)


**Land use and forest cover**




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**



**% Area protected from water erosion (>70%)**




**% Area protected from wind erosion (>50%)**




**Total Vegetation Cover Anomaly [%]**

Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




## Conservation and natural environments Forest (non woodland) timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





**tern**

Ecosystem Research Infrastructure




National  
Landcare  
Programme




# Agriculture


**Land use and forest cover**




**Proportion of each land class in area**




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**



**% Area protected from wind erosion (>50%)**




**Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




**tern**

Ecosystem Research Infrastructure




## Agriculture timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)



# Grazing


**Land use and forest cover**

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




- 1 Agriculture - Grazing - Non forest
- 2 Agriculture - Grazing - Woodland forest
- 3 Agriculture - Grazing - Non-woodland forest


**Proportion of each land class in area**




**Total Vegetation Cover [%]**



- 0-30%
- 31%-50%
- 51%-70%
- 71%-100%




**% Area protected from water erosion (>70%)**




- Area not protected 3.1% of region (8,731 ha)
- Area protected 96.9% of region (272,919 ha)

**% Area protected from wind erosion (>50%)**




- Area not protected 0.0% of region (0 ha)
- Area protected 100.0% of region (281,650 ha)

**Total Vegetation Cover Anomaly [%]**




Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**



**tern**

Ecosystem Research Infrastructure




Australian Government




### Grazing timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




## Grazing non forest

**Land use and forest cover**


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**



**% Area protected from wind erosion (>50%)**




**Total Vegetation Cover Anomaly [%]**



Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




**tern**

Ecosystem Research Infrastructure




### Grazing non forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




## Grazing - Forest (non woodland)

**Land use and forest cover**


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




**Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**



**% Area protected from wind erosion (>50%)**




**Total Vegetation Cover Anomaly [%]**



Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**



**tern**

Ecosystem Research Infrastructure




Australian Government




### Grazing - Forest (non woodland) timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Historical monthly area protected (Total Veg Cov>80%)





# Production native forests and plantation forests

**Land use and forest cover**


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)





**Total Vegetation Cover [%]**





**Proportion of vegetation cover class in area**




**% Area protected from water erosion (>70%)**




**% Area protected from wind erosion (>50%)**



**Total Vegetation Cover Anomaly [%]**





Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]**




**tern**

Ecosystem Research Infrastructure




### Production native forests and plantation forests timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)









Ecosystem Research Infrastructure



National  
Landcare  
Programme





**Glenelg\_(S) (617,325 ha and no data 4,724 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%**

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	617,325	99.9% 616,975	99.8% 615,875	97.9% 604,200	90.3% 557,675	51.5% 317,750	22.0% 135,850
Conservation and natural environments	83,900	99.9% 83,800	99.7% 83,650	97.9% 82,175	93.9% 78,800	57.8% 48,500	25.1% 21,100
Conservation and natural environments non forest	9,075	98.9% 8,975	97.2% 8,825	84.8% 7,700	70.8% 6,425	37.7% 3,425	16.0% 1,450
Conservation and natural environments Woodland forest	41,825	100.0% 41,825	100.0% 41,825	99.5% 41,600	96.2% 40,250	57.7% 24,150	22.7% 9,475
Conservation and natural environments Forest (non woodland)	33,000	100.0% 33,000	100.0% 33,000	99.6% 32,875	97.3% 32,125	63.4% 20,925	30.8% 10,175
Agriculture	287,225	99.9% 287,050	99.7% 286,250	96.9% 278,250	85.8% 246,500	44.5% 127,800	18.1% 52,100
Grazing	281,650	99.9% 281,475	99.7% 280,725	96.9% 272,875	85.8% 241,775	44.5% 125,225	18.2% 51,175
Grazing non forest	268,025	99.9% 267,850	99.7% 267,175	96.8% 259,525	85.4% 229,000	43.8% 117,500	17.9% 48,075
Grazing - Forest (non woodland)	7,850	100.0% 7,850	99.4% 7,800	96.8% 7,600	91.7% 7,200	57.3% 4,500	24.5% 1,925
Production native forests and plantation forests	229,575	100.0% 229,525	99.9% 229,425	99.4% 228,100	95.5% 219,300	59.1% 135,625	26.4% 60,575



**tern**  
Ecosystem Research Infrastructure

