## Total vegetation cover soil protection Region:LGA Hindmarsh\_(S) VIC

# Date: March 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




## **Vegetation Cover Mar 2025**

#### Land use and forest cover

#### Proportion of each land class in area






12%100%

52°1070010


320050010


0-30%

#### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area





#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.















### **Conservation and natural environments**


forest

woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



**Total Vegetation Cover [%]** 








12%200% 52%70% 3201050010 0.30%

1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-

2 Conservation and natural environments - Woodland



#### Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class


1.5

0.5


0.0

10

0 -0.5



#### % Area protected from wind erosion (>50%)






0.1%

2.0


2.5

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### **Conservation and natural environments timeseries**




Wind erosion historical monthly area protected (Total Veg Cov >50%)





### **Conservation and natural environments non forest**

Land use and forest cover




#### **Total Vegetation Cover [%]**







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


100-80-60 40 20-4eb In Jan May W31 291 1/2/ month tern Ecosystem Research Infrastructure Australian Government Programm

Water erosion historical monthly area protected (Total Veg Cov>70%)





### **Conservation and natural environments Woodland forest**

Land use and forest cover




#### **Total Vegetation Cover [%]**







#### % Area protected from water erosion (>70%)








#### % Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





### Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)




79.9% 80 70 60 90 Area (%) 05 Area (%) 30 20 18.4% 10 1.8% 0 -0.5 1.0 1.5 2.0 2.5 0.0 0.5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





100-

80


60-

40-

20

0-

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### **Agriculture timeseries**


4eb lar way In 1/2/ Mai 26,

Ecosystem Research Infrastructure Australian Government

13


month

Water erosion historical monthly area protected (Total Veg Cov>70%)





### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)






### Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### Grazing timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing non forest**


#### Land use and forest cover






#### **Total Vegetation Cover [%]**







#### % Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

### Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing Woodland forest**


Land use and forest cover






**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






### Grazing Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100-90 80-70-60 50-4eb lar In way Mai 1) 26, month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




### Cropping


#### Land use and forest cover






**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Production native forests and plantation forests**

Land use and forest cover

1 Production native forests and plantation forests


12%100%

52% TOOK


· 32°10'50°10

0.30%


**Total Vegetation Cover [%]** 








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

# Hindmarsh\_(S) (740,175 ha and no data 12,166 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	740,175	97.3% 719,950	91.6% 677,900	57.5% 425,750	29.5% 218,150	1.5% 10,750	0.5% 3,625
Conservation and natural environments	241,225	92.5% 223,100	84.5% 203,750	79.4% 191,625	50.3% 121,275	0.4% 950	0.0% 25
Conservation and natural environments non forest	28,575	76.3% 21,800	56.9% 16,250	44.4% 12,675	22.4% 6,400	0.7% 200	0.0%
Conservation and natural environments Woodland forest	212,500	94.7% 201,150	88.2% 187,350	84.2% 178,825	54.1% 114,875	0.4% 750	0.0% 25
Agriculture	441,375	99.7% 440,050	94.8% 418,475	42.0% 185,200	13.6% 59,900	2.1% 9,275	0.8% 3,600
Grazing	88,925	99.0% 88,050	90.2% 80,225	40.6% 36,100	12.2% 10,850	0.6% 575	0.1% 125
Grazing non forest	81,150	99.6% 80,800	90.4% 73,400	38.5% 31,225	10.3% 8,375	0.7% 550	0.2% 125
Grazing Woodland forest	7,775	93.2% 7,250	87.8% 6,825	62.7% 4,875	31.8% 2,475	0.3% 25	0.0% 0
Cropping	352,450	99.9% 352,000	96.0% 338,250	42.3% 149,100	13.9% 49,050	2.5% 8,700	1.0% 3,475
Production native forests and plantation forests	49,650	98.4% 48,875	96.7% 48,000	91.3% 45,325	72.7% 36,100	1.0% 500	0.0% 0

