## Total vegetation cover soil protection Region:LGA Hindmarsh (S) VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: November 2025** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









## **Vegetation Cover Nov 2025**


## Land use and forest cover

## Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments -Non-Woodland forest 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation 13 Other uses


## Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Catchment Scale


## **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















## **Conservation and natural environments**


## Land use and forest cover

# 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Nonwoodland forest


## Proportion of each land class in area




## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests

of Australia (2018)

Catchment Scale Land

Derived from

Use of Australia

(2018) and Forests of Australia (2018)













## **Conservation and natural environments timeseries**





→ 2025





month

## **Conservation and natural environments non forest**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


are about 20% lower than the

is only for the month of the map


using baseline from 2001 to 2019.


is, red pixels

mean of that pixel. The mean





## **Total Vegetation Cover [%]**






## % Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of the map using baseline from 2001 to 2019.


## Proportion of vegetation cover class in area




## % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**



records for that month of



















## **Conservation and natural environments non forest timeseries**





month





## **Conservation and natural environments Woodland forest**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels

mean of that pixel. The mean


is only for the month of the map


using baseline from 2001 to 2019.

are about 20% lower than the





## **Total Vegetation Cover [%]**






## % Area protected from water erosion (>70%)






## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)





















## **Conservation and natural environments Woodland forest timeseries**





month





## **Agriculture**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land

Derived from

Use of Australia (2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20%

lower than the mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.

# 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Cropping - Non-irrigated


## Total Variation Cover [0/]



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


## Proportion of each land class in area




## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)





















## **Agriculture timeseries**









## Grazing

## Land use and forest cover

# 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest

## of Australia (2018)

Catchment Scale Land Use and Forests of Australia (2018)

Catchment Scale Land


Derived from

Use of Australia (2018) and Forests


## 80 - 91.3% 60 - 20 - 20 - 0.25 0.00 0.25 0.50 0.75 1.00 1.25 Land use class

**Proportion of each land class in area** 


Total Vegetation Cover [%]




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## **Total Vegetation Cover Decile [%]**



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.













## **Grazing timeseries**









## **Grazing non forest**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That is, red pixels are about 20%


lower than the

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


mean of that




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area




## % Area protected from wind erosion (>50%)





in the lowest 10% of records for that month of



















## **Grazing non forest timeseries**









## **Grazing Woodland forest**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20%

lower than the


pixel. The mean

is only for the month of the map using baseline from 2001 to 2019.


mean of that




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















## **Grazing Woodland forest timeseries**









## **Cropping**


## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





## **Total Vegetation Cover [%]**






## % Area protected from water erosion (>70%)






## **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



















## **Cropping timeseries**









## **Production native forests and plantation forests**

## Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels

mean of that pixel. The mean


is only for the month of the map

using baseline from 2001 to 2019.


are about 20% lower than the




## **Total Vegetation Cover [%]**




## Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















## **Production native forests and plantation forests timeseries**





Wind erosion historical monthly area protected (Total Veg Cov >50%)





## Hindmarsh\_(S) (720,575 ha and no data 31,766 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	720,575	98.8% 712,050	93.6% 674,725	60.6% 436,725	23.4% 168,350	2.8% 20,250	1.2% 8,875
Conservation and natural environments	221,950	97.4% 216,250	93.1% 206,600	77.1% 171,225	29.3% 64,975	1.2% 2,700	0.4% 825
Conservation and natural environments non forest	18,875	93.1% 17,575	83.7% 15,800	53.4% 10,075	12.6% 2,375	2.6% 500	1.6% 300
Conservation and natural environments Woodland forest	202,925	97.8% 198,525	94.0% 190,650	79.4% 161,050	30.8% 62,575	1.1% 2,200	0.3% 525
Agriculture	441,275	99.5% 438,950	93.4% 412,250	49.6% 218,775	18.0% 79,450	3.6% 16,100	1.7% 7,600
Grazing	88,850	99.1% 88,025	91.6% 81,425	49.9% 44,375	20.8% 18,500	4.6% 4,125	1.9% 1,700
Grazing non forest	81,075	99.4% 80,550	91.8% 74,400	48.6% 39,400	20.3% 16,450	4.5% 3,650	1.9% 1,550
Grazing Woodland forest	7,775	96.1% 7,475	90.4% 7,025	64.0% 4,975	26.4% 2,050	6.1% 475	1.9% 150
Cropping	352,425	99.6% 350,925	93.9% 330,825	49.5% 174,400	17.3% 60,950	3.4% 11,975	1.7% 5,900
Production native forests and plantation forests	49,425	99.0% 48,950	97.6% 48,225	85.9% 42,475	44.5% 21,975	1.9% 950	0.4% 200







