Total vegetation cover soil protection Region:LGA Moira_(S) VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2021

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jul 2021


Proportion of each land class in area







Total Vegetation Cover [%] Typic Toolo Typ









% Area protected from wind erosion (>50%)




















Conservation and natural environments


80 78.8% **Land use and forest cover** 70 · 60 Catchment Scale Land Use and Forests of Australia (2018) Derived from ${\bf 1}$ Conservation and natural environments - Nonforest 50 2 Conservation and natural environments - Woodland forest Catchment Scale Land 40 Use of Australia -(2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-30 20 12.3% 8.9% 10 3 Land use class







Proportion of each land class in area

Area not protected 0.3% of region (130 ha) Area protected 99.7% of region (43,369 ha)



















Conservation and natural environments timeseries





month







Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

Proportion of vegetation cover class in area 100 - 96.6% 80 - 60 - 40 - 20 - 0.7% 0.0% 51%-70% 71%-100% Total Vegetation Cover class





















Conservation and natural environments non forest timeseries












Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Lund Use of Australia (2018) Australia (2018) 1 Conservation and natural environments - Woodland forest 1 Conservation and natural environments - Woodland forest


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


































Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Typic Toolo Typic Toolo





















Conservation and natural environments Forest (non woodland) timeseries







Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Non-woodland forest 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Non-irrigated 7 Agriculture - Horticulture - Horticulture - Horticulture - Horticulture - Irrigated

Proportion of each land class in area













% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















Agriculture timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing





98.9%

Proportion of each land class in area


Proportion of vegetation cover class in area

Land use class








% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















Grazing timeseries











Grazing non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




Proportion of vegetation cover class in area 100 - 99.3% 80 - 99.3% 40 - 20 - 0.1% 0.0% 0.6% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

Area not protected 0.7% of region (537 ha) Area protected 99.3% of region (76,262 ha)



















Grazing non forest timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Typic Judolo Sylve Judolo Sy


Proportion of vegetation cover class in area





% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















Cropping timeseries











Irrigation





84.2% 70 60 Area (%) 30 20 · 11.8% 10 · 4.0% Land use class


Proportion of each land class in area














% Area protected from wind erosion (>50%)



























Moira_(S) (404,575 ha and no data 322 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	404,575	100.0% 404,475	100.0% 404,400	98.9% 400,275	86.9% 351,675	26.3% 106,525	6.5% 26,325
Conservation and natural environments	43,500	99.9% 43,475	99.9% 43,475	99.7% 43,375	98.4% 42,825	77.4% 33,675	27.4% 11,900
Conservation and natural environments non forest	3,700	99.3% 3,675	99.3% 3,675	96.6% 3,575	88.5% 3,275	48.0% 1,775	15.5% 575
Conservation and natural environments Woodland forest	5,375	100.0% 5,375	100.0% 5,375	100.0% 5,375	99.5% 5,350	73.5% 3,950	23.7% 1,275
Conservation and natural environments Forest (non woodland)	34,425	100.0% 34,425	100.0% 34,425	100.0% 34,425	99.3% 34,200	81.2% 27,950	29.2% 10,050
Agriculture	343,875	100.0% 343,875	100.0% 343,825	99.2% 341,100	86.1% 296,225	20.2% 69,300	3.9% 13,550
Grazing	77,650	100.0% 77,650	100.0% 77,625	99.4% 77,150	88.7% 68,875	25.0% 19,425	5.7% 4,450
Grazing non forest	76,800	100.0% 76,800	100.0% 76,775	99.3% 76,300	88.6% 68,025	24.5% 18,825	5.6% 4,300
Cropping	110,925	100.0% 110,925	100.0% 110,925	99.3% 110,100	83.8% 93,000	19.7% 21,850	3.7% 4,150
Irrigation	154,925	100.0% 154,925	100.0% 154,900	99.1% 153,500	86.5% 134,000	18.0% 27,825	3.2% 4,950







