Total vegetation cover soil protection Region:LGA Moira_(S) VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: May 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3












Vegetation Cover May 2023


Proportion of each land class in area








Proportion of vegetation cover class in area








% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]













Conservation and natural environments


80 78.8% **Land use and forest cover** 70 · 60 Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest 50 2 Conservation and natural environments - Woodland forest Derived from Catchment Scale Land 40 Use of Australia -(2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-30 20 12.3% 8.9% 10 · 1.5 -0.50.5 2.0 0.0 1.0 Land use class


Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor pool of the control of the control




Proportion of each land class in area





















Conservation and natural environments timeseries














Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]





















Conservation and natural environments non forest timeseries





month








Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) 1 Conservation and natural environments - Woodland forest of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]























Conservation and natural environments Woodland forest timeseries





month








Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) 1 Conservation and natural environments - Nonwoodland forest of Australia (2018)


Total Vegetation Cover [%] Type Transfer Transf





















Conservation and natural environments Forest (non woodland) timeseries







Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) A griculture - Grazing - Non forest A griculture - Grazing - Non-woodland forest A griculture - Grazing - Non-irrigated A fagriculture - Cropping - Non-irrigated A griculture - Cropping - Irrigated A griculture - Horticulture - Non-irrigated A griculture - Horticulture - Horticulture - Irrigated A griculture - Horticulture - Irrigated

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



















Agriculture timeseries












Grazing




Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Grazing timeseries











Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Grazing non forest timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Cropping timeseries









Irrigation


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated Catchment Scale Land Use of Australia -(2018) and Forests of Australia (2018) 3 Agriculture - Horticulture - Irrigated


84.2% 80 70 60 Area (%) 04 05 30 -20 11.8% 10 --0.50.5 1.0 2.0 0.0 1.5 2.5 Land use class

Proportion of each land class in area


Total Vegetation Cover [%]








% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage - points each pixel is from the mean. That - 20 - 10 is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10 **-**20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%] 4 8⁵9













Irrigation timeseries









Moira_(S) (404,700 ha and no data 197 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	404,700	100.0% 404,550	98.5% 398,825	69.8% 282,300	42.3% 171,100	13.3% 54,025	6.3% 25,325
Conservation and natural environments	43,550	100.0% 43,550	99.8% 43,450	98.6% 42,950	95.1% 41,425	78.5% 34,200	50.8% 22,125
Conservation and natural environments non forest	3,725	100.0% 3,725	99.3% 3,700	88.6% 3,300	65.1% 2,425	30.9% 1,150	6.0% 225
Conservation and natural environments Woodland forest	5,375	100.0% 5,375	100.0% 5,375	99.1% 5,325	94.0% 5,050	63.7% 3,425	27.9% 1,500
Conservation and natural environments Forest (non woodland)	34,450	100.0% 34,450	99.8% 34,375	99.6% 34,325	98.5% 33,950	86.0% 29,625	59.2% 20,400
Agriculture	343,875	100.0% 343,750	98.4% 338,250	65.6% 225,500	35.3% 121,350	5.3% 18,125	0.8% 2,750
Grazing	77,650	100.0% 77,625	98.8% 76,700	72.5% 56,325	42.5% 33,000	8.3% 6,425	0.9% 725
Grazing non forest	76,800	100.0% 76,775	98.8% 75,850	72.2% 55,475	41.9% 32,200	7.9% 6,100	0.9% 700
Cropping	110,925	100.0% 110,875	97.7% 108,425	39.1% 43,350	12.8% 14,150	1.8% 1,950	0.2% 275
Irrigation	154,925	100.0% 154,875	98.6% 152,750	81.0% 125,475	47.7% 73,925	6.2% 9,600	1.1% 1,725







