### Total vegetation cover soil protection Region:LGA Moyne\_(S) VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: August 2022

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Aug 2022**


### Land use and forest cover




### Proportion of each land class in area



### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area



### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**


pixel is from

is, red pixels are about 20% lower than the


mean of that

is only for the

2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















\_

### **Conservation and natural environments**


### Land use and forest cover Proportion of each land class in area 56.9% 50 42.0% Catchment Scale Land Use and Forests of Australia (2018) 40 1 Conservation and natural environments - Nonforest Area (%) 0 Derived from 2 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-(2018) and Forests of Australia (2018) 20 10 0.5 -0.5 0.0 1.0 2.5 1.5 2.0 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 100 98.0% 80 60 40 20 2.0% 0.0% 0.0% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 2.0% of Area region (205 ha) protected 100.0% of Area region (10,250 protected 98.0% of ha) region (10,045 ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from 8,5) Deciles show where the - 10 pixel value lies in the the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10 **-**20 **National** Landcare


Australian Government


Programme

**Ecosystem Research Infrastructure** 

### **Conservation and natural environments timeseries**









### **Conservation and natural environments Woodland forest**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Australia (2018)


### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)






























Landcare




### **Agriculture**

### Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia 4 Agriculture - Cropping - Non-irrigated (2018) and Forests of Australia (2018)


### Proportion of each land class in area



**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.












### **Agriculture timeseries**









### **Grazing**

### Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest




% Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 

is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### 99.1% 100 80 60 Area (%) 40 20

Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class

1.5


2.0

2.5


0.5

-0.5


0.0



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 
















### **Grazing timeseries**













### **Grazing non forest**


### Land use and forest cover



### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


















### **Grazing non forest timeseries**













### Cropping


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
















### **Cropping timeseries**








### **Production native forests and plantation forests**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

### Trolo-troolo Strolo-troolo Strolo-troolo Strolo-troolo


**Total Vegetation Cover [%]** 


## Area not protected 0.2% of region (45 ha) Area protected 99.8% of region (22,579 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 100 - 99.8% 80 - 99.8% 40 - 20 - 0.0% 0.2% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

















### **Production native forests and plantation forests timeseries**






month







### Moyne\_(S) (545,825 ha and no data 2,402 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	545,825	100.0% 545,825	100.0% 545,700	99.6% 543,550	95.3% 520,050	39.4% 215,050	10.8% 58,850
Conservation and natural environments	10,250	100.0% 10,250	100.0% 10,250	98.0% 10,050	92.2% 9,450	71.0% 7,275	28.8% 2,950
Conservation and natural environments Woodland forest	6,400	100.0% 6,400	100.0% 6,400	100.0% 6,400	99.6% 6,375	87.1% 5,575	33.6% 2,150
Agriculture	504,875	100.0% 504,875	100.0% 504,800	99.7% 503,225	95.4% 481,800	37.5% 189,500	9.0% 45,200
Grazing	480,575	100.0% 480,575	100.0% 480,500	99.7% 479,150	95.8% 460,550	38.2% 183,525	9.1% 43,825
Grazing non forest	476,425	100.0% 476,425	100.0% 476,350	99.7% 475,000	95.8% 456,500	37.9% 180,700	8.8% 42,075
Cropping	24,300	100.0% 24,300	100.0% 24,300	99.1% 24,075	87.4% 21,250	24.6% 5,975	5.7% 1,375
Production native forests and plantation forests	22,625	100.0% 22,625	100.0% 22,625	99.8% 22,575	97.3% 22,025	69.5% 15,725	44.2% 10,000







