

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool <https://map.geo-rapp.org/#australia>. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region.

Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
- 51-70% Moderate cover - protected from wind erosion
- 31-50% Low cover - not protected
- 0-30% Very Low cover - not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available.

Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

- Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

1. <http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification>
2. <http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018>
3. <https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover>
4. MODIS Fractional cover algorithm:
<https://doi.org/10.4225/08/5848a3f19a7b3>



tern
Ecosystem Research Infrastructure




**National
Landcare
Programme**




Vegetation Cover Oct 2024

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



tern







Ecosystem Research Infrastructure




Australian Government

**National
Landcare
Programme**










Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Historical monthly area protected (Total Veg Cov>80%)




Conservation and natural environments

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



tern

Ecosystem Research Infrastructure




National
Landcare
Programme




Conservation and natural environments timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Historical monthly area protected (Total Veg Cov>80%)




Conservation and natural environments non forest

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




tern

Ecosystem Research Infrastructure




Conservation and natural environments non forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Historical monthly area protected (Total Veg Cov>80%)




Conservation and natural environments Forest (non woodland)




Conservation and natural environments Forest (non woodland) timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Historical monthly area protected (Total Veg Cov>80%)



tern
Ecosystem Research Infrastructure




National
Landcare
Programme




Agriculture

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




tern

Ecosystem Research Infrastructure




Agriculture timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




Grazing

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




Grazing timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Historical monthly area protected (Total Veg Cov>80%)




Grazing non forest

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




tern

Ecosystem Research Infrastructure




Grazing non forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




Grazing - Forest (non woodland)

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




tern

Ecosystem Research Infrastructure




Grazing - Forest (non woodland) timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Historical monthly area protected (Total Veg Cov>80%)



Ecosystem Research Infrastructure




National
Landcare
Programme



Cropping


Land use and forest cover

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




1 Agriculture - Cropping - Non-irrigated

Total Vegetation Cover [%]




71%-100%
51%-70%
31%-50%
0-30%

Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




Area not protected
4.1% of region
(2,376 ha)
Area protected
95.9% of region
(55,574 ha)

% Area protected from wind erosion (>50%)



Area protected
100.0% of region
(57,950 ha)

Total Vegetation Cover Anomaly [%]




Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

-20
-10
0
10
20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



10
9
8
7
6
5
4
3
2
1




tern

Ecosystem Research Infrastructure




Cropping timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Historical monthly area protected (Total Veg Cov>80%)




Horticulture

Land use and forest cover


Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




tern



Ecosystem Research Infrastructure




Horticulture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)








Water erosion historical monthly area protected (Total Veg Cov>70%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Historical monthly area protected (Total Veg Cov>80%)




Production native forests and plantation forests

Land use and forest cover


Catchment Scale
Land Use and Forests of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Anomaly show how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



tern

Ecosystem Research Infrastructure




National
Landcare
Programme




Production native forests and plantation forests timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)



**Pyrenees_(S) (total 343,625 ha) Percentage area and hectares protected
with TVC threshold 30,50,70,80,90 and 95%**

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	343,625	100.0% 343,625	100.0% 343,475	98.3% 337,775	87.7% 301,250	40.9% 140,500	10.7% 36,900
Conservation and natural environments	16,225	100.0% 16,225	99.8% 16,200	98.6% 16,000	92.1% 14,950	48.2% 7,825	7.4% 1,200
Conservation and natural environments non forest	5,075	100.0% 5,075	100.0% 5,075	98.0% 4,975	89.2% 4,525	38.9% 1,975	10.3% 525
Conservation and natural environments Forest (non woodland)	10,350	100.0% 10,350	100.0% 10,350	99.5% 10,300	94.9% 9,825	53.4% 5,525	6.0% 625
Agriculture	255,325	100.0% 255,325	100.0% 255,250	98.2% 250,700	86.0% 219,675	36.3% 92,700	9.4% 23,925
Grazing	191,750	100.0% 191,750	100.0% 191,675	98.9% 189,700	90.1% 172,725	40.9% 78,450	10.8% 20,800
Grazing non forest	184,550	100.0% 184,550	100.0% 184,475	98.9% 182,550	89.8% 165,800	40.3% 74,325	10.8% 19,875
Grazing - Forest (non woodland)	5,550	100.0% 5,550	100.0% 5,550	99.1% 5,500	96.4% 5,350	61.3% 3,400	14.4% 800
Cropping	57,950	100.0% 57,950	100.0% 57,950	95.9% 55,575	72.6% 42,050	21.3% 12,325	4.7% 2,700
Horticulture	5,375	100.0% 5,375	100.0% 5,375	96.7% 5,200	88.8% 4,775	35.3% 1,900	7.9% 425
Production native forests and plantation forests	49,375	100.0% 49,375	99.9% 49,350	98.6% 48,675	92.4% 45,625	58.5% 28,875	17.3% 8,525



tern
Ecosystem Research Infrastructure



National Landcare Programme

