# Total vegetation cover soil protection Region:LGA Albany (C) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











# **Vegetation Cover Mar 2025**


### Land use and forest cover




### **Proportion of each land class in area**




# **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 







% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















.




# **Conservation and natural environments**



# **Conservation and natural environments timeseries**







<del>→</del> 2019


2020 2021 2022 2022 2023

**→** 2024 **→** 2025






month




# **Conservation and natural environments non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)















# **Conservation and natural environments non forest timeseries**







month


**---** 2024

2025

Wind erosion historical monthly area protected (Total Veg Cov >50%)









# **Conservation and natural environments Woodland forest**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**

# % Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



# Area not protected 1.0% of region (419 ha) Area protected 99.0% of region (41,481 ha)























# **Conservation and natural environments Forest (non woodland)**


# **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)










Proportion of vegetation cover class in area







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















99.8


99.0


98.8




Wind erosion historical monthly area protected (Total Veg Cov >50%)











# **Agriculture**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) A griculture - Grazing - Non forest A griculture - Grazing - Non-woodland forest A griculture - Horticulture - Irrigated A griculture - Horticulture - Irrigated


# Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Agriculture timeseries**




# Wind erosion historical monthly area protected (Total Veg Cov >50%)












# **Grazing**





# **Grazing timeseries**
















# **Grazing non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**






month









# **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)

















# **Cropping timeseries**






**---** 2025






month




# **Production native forests and plantation forests**


### Land use and forest cover



# **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

is, red pixels





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
















# **Production native forests and plantation forests timeseries**







# Albany\_(C) (421,850 ha and no data 9,506 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	421,850	99.9% 421,225	99.2% 418,475	93.8% 395,675	79.4% 334,975	35.7% 150,725	7.7% 32,650
Conservation and natural environments	129,175	99.7% 128,800	98.9% 127,750	96.1% 124,125	88.2% 113,900	45.5% 58,725	8.6% 11,150
Conservation and natural environments non forest	49,300	99.3% 48,975	98.0% 48,325	94.2% 46,450	85.3% 42,075	45.5% 22,450	10.4% 5,150
Conservation and natural environments Woodland forest	41,900	99.9% 41,850	98.9% 41,450	95.3% 39,925	84.5% 35,425	34.2% 14,325	6.4% 2,675
Conservation and natural environments Forest (non woodland)	37,975	100.0% 37,975	100.0% 37,975	99.4% 37,750	95.9% 36,400	57.8% 21,950	8.8% 3,325
Agriculture	205,875	99.9% 205,650	99.3% 204,525	93.1% 191,625	74.8% 153,900	30.2% 62,175	7.7% 15,950
Grazing	79,675	99.9% 79,625	99.7% 79,450	96.5% 76,925	85.5% 68,125	41.1% 32,775	11.2% 8,950
Grazing non forest	76,875	99.9% 76,825	99.7% 76,650	96.7% 74,300	85.5% 65,750	41.2% 31,650	11.5% 8,825
Cropping	122,850	99.9% 122,675	99.1% 121,725	90.7% 111,450	67.5% 82,975	23.0% 28,225	5.6% 6,825
Production native forests and plantation forests	75,625	100.0% 75,625	99.5% 75,250	93.6% 70,800	79.5% 60,150	34.8% 26,300	6.7% 5,075







