Total vegetation cover soil protection Region:LGA Armadale_(C) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: April 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Vegetation Cover Apr 2023

Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Non-Woodland forest Land Use and Forests of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Lanc 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests of Australia (2018) 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses

61.8% 60 50 40 30 20 _15.7% 10.9% 10

Proportion of each land class in area

Total Vegetation Cover [%]


Proportion of vegetation cover class in area


Land use class

0.0%0.0%0.0%0.4%0.0%0.0%0


10


12







% Area protected from wind erosion (>50%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















Conservation and natural environments


Proportion of each land class in area Land use and forest cover 69.6% 70 60 50 Catchment Scale Land Use and Forests of Australia (2018 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Derived from Catchment Scale Land Use of Australia (2018) and Forest 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.0% 20 10 7.4% 2.0 0.5 1.0 1.5 2.5 -0.50.0 Land use class












Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries






month









Conservation and natural environments non forest


Land use and forest cover




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

ν,Λ

Total Vegetation Cover Decile [%]












Conservation and natural environments non forest timeseries









Conservation and natural environments Woodland forest


Catchment Scale Land Use and Foreits of Australia (2018) 1 Conservation and natural environments - Woodland forest 1 Conservation and natural environments - Woodland forest

Total Vegetation Cover [%] Tolandolo Tolan


Proportion of vegetation cover class in area 100 - 97.5% 80 - 60 - 40 - 40 - 20 - 0.1% 1.2% 1.2% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Conservation and natural environments Woodland forest timeseries














Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Ose of Australia (2018) Australia (2018) Ose of Australia (2018) I Conservation and natural environments - Non-woodland forest

Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Wind erosion historical monthly area protected (Total Veg Cov >50%)










Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated Catchment Scale Land 3 Agriculture - Horticulture - Non-irrigated Use of Australia (2018) and Forests of Australia (2018) 4 Agriculture - Horticulture - Irrigated


86.2% 80 60 20 7.9% -0.50.0 0.5 1.0 1.5 3.0 3.5 2.0 2.5 Land use class

Proportion of each land class in area





Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Agriculture timeseries














Grazing







% Area protected from water erosion (>70%) Area not protected 42.3% of region (1,375 ha) Area protected 57.7% of region (1,875 ha)




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of each land class in area 100.0% 100 80 -Area (%) 40 20 -0.2 -0.3 0.0 0.1 0.2 0.3 -0.4-0.10.4 Land use class




















Grazing timeseries













Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Grazing non forest timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)









Production native forests and plantation forests

Land use and forest cover



Total Vegetation Cover [%] Typic Toolo Typ

Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












Production native forests and plantation forests timeseries







Armadale_(C) (total 55,975 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	55,975	99.9% 55,925	97.6% 54,625	91.8% 51,400	85.8% 48,025	57.1% 31,950	18.1% 10,125
Conservation and natural environments	8,800	100.0% 8,800	99.7% 8,775	98.9% 8,700	95.7% 8,425	60.8% 5,350	25.0% 2,200
Conservation and natural environments non forest	650	100.0% 650	100.0% 650	92.3% 600	80.8% 525	15.4% 100	0.0%
Conservation and natural environments Woodland forest	2,025	100.0% 2,025	98.8% 2,000	97.5% 1,975	90.1% 1,825	54.3% 1,100	21.0% 425
Conservation and natural environments Forest (non woodland)	6,125	100.0% 6,125	100.0% 6,125	100.0% 6,125	99.2% 6,075	67.8% 4,150	29.0% 1,775
Agriculture	3,775	98.7% 3,725	89.4% 3,375	63.6% 2,400	38.4% 1,450	5.3% 200	2.0% 75
Grazing	3,250	98.5% 3,200	87.7% 2,850	57.7% 1,875	28.5% 925	3.8% 125	2.3% 75
Grazing non forest	3,250	98.5% 3,200	87.7% 2,850	57.7% 1,875	28.5% 925	3.8% 125	2.3% 75
Production native forests and plantation forests	34,625	100.0% 34,625	99.9% 34,575	99.4% 34,425	98.6% 34,125	73.2% 25,350	22.2% 7,675







