Total vegetation cover soil protection Region:LGA Armadale (C) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for

each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

• 51-70% Moderate cover - protected from wind erosion

- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jan 2025

Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments -Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale Land Use and Forests 3 Conservation and natural environments - Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Nanc 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forest 8 Agriculture - Cropping - Non-irrigated of Australia (2018) 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


Proportion of each land class in area




Total Vegetation Cover [%]



Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




















.


Conservation and natural environments


Proportion of each land class in area Land use and forest cover 69.6% 70 60 50 Catchment Scale Land Use and Forests of Australia (2018 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Derived from Catchment Scale Land Use of Australia (2018) and Forest 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.0% 20 10 7.4% 2.0 0.5 1.0 1.5 2.5 -0.50.0 Land use class












Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries






month









Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor 1000 Tall 2000 Tall 2000


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Conservation and natural environments non forest timeseries










Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) 1 Conservation and natural environments - Woodland forest of Australia (2018)


Total Vegetation Cover [%] 12/0/27,000/0 23/0/25,00/0 23/0/25,00/0







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Conservation and natural environments Woodland forest timeseries














Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Ose of Australia (2018) Ose of Australia (2018) Ose of Australia (2018) I Conservation and natural environments - Non-woodland forest

Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





























Agriculture

Catchment Scale Land Use and Forests Of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated Use of Australia (2018) 3 Agriculture - Horticulture - Non-irrigated 4 Agriculture - Horticulture - Irrigated

80 - 86.2% 60 - (%) eay 40 - 20 - 0.5 0.0 0.5

86.2%

7.9%

3.5

3.0

Proportion of each land class in area

Proportion of vegetation cover class in area


1.5


Land use class

2.0


2.5

1.0







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]


tern Ecosystem Research Infrastructure











Agriculture timeseries














Grazing





% Area protected from water erosion (>70%)


Area not protected 42.7% of region (1,398 ha) Area protected 57.3% of region (1,877 ha)




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of each land class in area 100.0% 100 80 -Area (%) 40 20 -0.2 -0.3 0.0 0.1 0.2 0.3 -0.4-0.10.4 Land use class

Proportion of vegetation cover class in area 60 57.3% 50 40 38.9% Area (%) 20 10 3.8% 31%-50% 0-30% 51%-70% 71%-100% **Total Vegetation Cover class**


















Grazing timeseries













Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor Ideal T

Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]














Grazing non forest timeseries













Production native forests and plantation forests

Land use and forest cover



Total Vegetation Cover [%] Trele-total vegetation Cover [%] Trele-total vegetation Cover [%] Trele-total vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












Production native forests and plantation forests timeseries







Armadale_(C) (total 56,000 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	56,000	100.0% 56,000	99.3% 55,625	91.8% 51,425	83.3% 46,650	35.2% 19,725	3.8% 2,150
Conservation and natural environments	8,800	100.0% 8,800	99.7% 8,775	98.9% 8,700	92.6% 8,150	36.1% 3,175	7.4% 650
Conservation and natural environments non forest	650	100.0% 650	100.0% 650	100.0% 650	57.7% 375	3.8% 25	0.0%
Conservation and natural environments Woodland forest	2,025	100.0% 2,025	98.8% 2,000	95.1% 1,925	88.9% 1,800	37.0% 750	6.2% 125
Conservation and natural environments Forest (non woodland)	6,125	100.0% 6,125	100.0% 6,125	100.0% 6,125	97.6% 5,975	39.2% 2,400	8.6% 525
Agriculture	3,800	100.0% 3,800	96.7% 3,675	63.2% 2,400	36.8% 1,400	6.6% 250	0.7% 25
Grazing	3,275	100.0% 3,275	96.2% 3,150	57.3% 1,875	27.5% 900	3.1% 100	0.0%
Grazing non forest	3,275	100.0% 3,275	96.2% 3,150	57.3% 1,875	27.5% 900	3.1% 100	0.0%
Production native forests and plantation forests	34,625	100.0% 34,625	100.0% 34,625	99.5% 34,450	97.1% 33,625	45.4% 15,725	4.0% 1,375







