Total vegetation cover soil protection Region:LGA Bridgetown-Greenbushes_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2021


Land use and forest cover

Derived from


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Area not protected 0.4% of region (535 ha)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Conservation and natural environments

forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments – Woodland




Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




\$


s, S

A.1

· 2³

Total Vegetation Cover Anomaly [%]





- 10 0 -10

-20

Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


in the lowest 10% of

records for that month of


the map using baseline from 2001 to 2019.

- 20


Total Vegetation Cover Decile [%]








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






In

Jur

JUL

Australian Government


Ecosystem Research Infrastructure



Historical monthly area protected (Total Veg Cov>80%)

Conservation and natural environments Woodland forest

Land use and forest cover



12º0-200%

· 52°10010

· 32°1050°10

0.30%

- 20


- 10

- 0


-10

-20


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




 $\sqrt{2}$

୍ଚ୍ଚ


A:1

2.3


Total Vegetation Cover Decile [%]









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)





Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\sqrt{2}$


°,


A.1

2?3


Total Vegetation Cover Anomaly [%]







Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.


Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Agriculture


Land use and forest cover

Proportion of each land class in area






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




 $\sqrt{2}$

x^1


~??



% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]



- 10 0 -10

-20

Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of

the map using baseline from 2001 to 2019.


- 20

Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Agriculture timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover

Agriculture - Grazing - Non forest
Agriculture - Grazing - Non-woodland forest


12% 100°1

52°1070010


3201050010


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]





-20


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**

 $\sqrt{2}$

s, S


x^1

~??






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Water erosion historical monthly area protected (Total Veg Cov>70%)

18






Grazing non forest

12%200%


52°10010010

3201050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\sqrt{2}$

ଚ,୍ଚ

A-1

2.3

Total Vegetation Cover Anomaly [%]




- 10 0 -10

-20

- 20

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Grazing non forest timeseries


1000 100.0-99.5⁻ aa --- above_70 99.0 **—** 10th **——** 50th **——** 2021 Aug 98.5 98.0 97.5 97.0 4eb In Sal way PQ Mar month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






Historical monthly area protected (Total Veg Cov>80%)







Cropping




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]







-20


12%200%

52°10-70°10

· 3201050010

0.30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




\$

୍ଚ୍ଚ


A.1

2.3


Total Vegetation Cover Decile [%]









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Cropping timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)






Production native forests and plantation forests





Land use and forest cover

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)








Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover Anomaly [%]



- 10 0 -10

-20


- 20

Total Vegetation Cover Decile [%]

 $\sqrt{2}$


ຈິ

x^1






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

23







Bridgetown-Greenbushes_(S) (total 133,875 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	133,875	100.0% 133,875	100.0% 133,825	99.6% 133,400	98.3% 131,575	74.5% 99,675	51.9% 69,500
Conservation and natural environments	18,575	100.0% 18,575	99.9% 18,550	99.6% 18,500	99.2% 18,425	95.2% 17,675	77.3% 14,350
Conservation and natural environments Woodland forest	2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	99.0% 2,550	84.5% 2,175
Conservation and natural environments Forest (non woodland)	15,850	100.0% 15,850	99.8% 15,825	99.8% 15,825	99.4% 15,750	95.0% 15,050	76.5% 12,125
Agriculture	34,075	100.0% 34,075	100.0% 34,075	99.9% 34,050	97.9% 33,375	44.5% 15,150	11.4% 3,900
Grazing	28,275	100.0% 28,275	100.0% 28,275	100.0% 28,275	98.1% 27,750	43.1% 12,200	11.1% 3,125
Grazing non forest	27,900	100.0% 27,900	100.0% 27,900	100.0% 27,900	98.2% 27,400	43.4% 12,100	10.9% 3,050
Cropping	5,750	100.0% 5,750	100.0% 5,750	99.6% 5,725	97.0% 5,575	50.9% 2,925	13.0% 750
Production native forests and plantation forests	77,575	100.0% 77,575	100.0% 77,575	99.9% 77,475	99.2% 76,925	84.4% 65,500	65.5% 50,825

