# Total vegetation cover soil protection Region:LGA Bridgetown-Greenbushes\_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









**Date: September 2021** 

## **Vegetation Cover Sep 2021**

#### Land use and forest cover

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each pixel is from

the mean. That is, red pixels are about 20% lower than the

mean of that pixel. The mean is only for the

using baseline from 2001 to 2019.


month of the map

Derived from


Use of Australia

#### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest Land Use and Forests 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation 13 Other uses


#### Proportion of each land class in area




### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**



















## **Conservation and natural environments**

## Land use and forest cover Catchment Scale Land Use and Forests 1 Conservation and natural environments - Nonforest of Australia (2018) Derived from 2 Conservation and natural environments – Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments - Nonwoodland forest (2018) and Forests of Australia (2018)


#### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





the mean. That is, red pixels

are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map












### **Conservation and natural environments timeseries**











## **Conservation and natural environments Woodland forest**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments – Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)









Anomaly show how many percetage points each pixel is from

the mean. That


pixel. The mean


using baseline from 2001 to 2019.


is only for the month of the map

is, red pixels are about 20% lower than the mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















**-**20

## **Conservation and natural environments Woodland forest timeseries**





2002 2003

\_\_\_\_ 2005


2006 2007 2008 2009

→ 2010


2011


2013 2014 2015


→ 2016 → 2017 → 2018 → 2019 → 2020 → 2021



## **Conservation and natural environments Forest (non woodland)**









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


records for that month of


the map using baseline from 2001 to 2019.



% Area protected from water erosion (>70%)



















## Conservation and natural environments Forest (non woodland) timeseries






month








## **Agriculture**


## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 3 Agriculture - Cropping - Non-irrigated Use of Australia 4 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)


## 81.8% 80 70 60 30 20 -16.9% 10 -Land use class

**Proportion of each land class in area** 




Proportion of vegetation cover class in area






## % Area protected from water erosion (>70%)

% Area protected from wind erosion (>50%)





## **Total Vegetation Cover Anomaly [%]**

Anomaly show how many percetage points each pixel is from


the mean. That


is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean

**Total Vegetation Cover Decile [%]** 






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











## **Agriculture timeseries**
















## **Grazing**






















Anomaly show how many percetage points each pixel is from the mean. That


is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean

**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














## **Grazing timeseries**













## **Grazing non forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**

Anomaly show how many percetage points each pixel is from the mean. That


is only for the month of the map using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Decile [%]
















## **Grazing non forest timeseries**













## **Cropping**


#### Land use and forest cover



### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Decile [%]
















## **Cropping timeseries**













## **Production native forests and plantation forests**


#### Land use and forest cover

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from
Catchment Scale Land
Use of Australia
(2018) and Forests
of Australia (2018)




#### **Total Vegetation Cover [%]**







### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That

is only for the month of the map using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean














## **Production native forests and plantation forests timeseries**







# Bridgetown-Greenbushes\_(S) (total 133,925 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	133,925	100.0% 133,900	100.0% 133,875	99.8% 133,600	98.8% 132,325	77.0% 103,125	51.3% 68,750
Conservation and natural environments	18,575	99.9% 18,550	99.9% 18,550	99.9% 18,550	99.7% 18,525	96.5% 17,925	80.6% 14,975
Conservation and natural environments Woodland forest	2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	96.1% 2,475	85.4% 2,200
Conservation and natural environments Forest (non woodland)	15,850	99.8% 15,825	99.8% 15,825	99.8% 15,825	99.7% 15,800	97.0% 15,375	80.4% 12,750
Agriculture	34,100	100.0% 34,100	100.0% 34,100	100.0% 34,100	98.9% 33,725	48.2% 16,450	9.2% 3,150
Grazing	28,275	100.0% 28,275	100.0% 28,275	100.0% 28,275	98.9% 27,950	46.6% 13,175	8.8% 2,475
Grazing non forest	27,900	100.0% 27,900	100.0% 27,900	100.0% 27,900	98.8% 27,575	46.1% 12,875	8.6% 2,400
Cropping	5,775	100.0% 5,775	100.0% 5,775	100.0% 5,775	99.1% 5,725	56.3% 3,250	11.7% 675
Production native forests and plantation forests	77,600	100.0% 77,600	100.0% 77,600	100.0% 77,600	99.6% 77,325	87.4% 67,825	64.9% 50,350







