### Total vegetation cover soil protection Region:LGA Bridgetown-Greenbushes\_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

**Erosion protection** 

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




## **Vegetation Cover Sep 2023**

#### Land use and forest cover


#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)







### Area not protected 0.7% of (937 ha)




#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Derived from

Use of Australia





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 



















### **Conservation and natural environments**

forest


Land use and forest cover




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)





- 20

- 10

0


-10


-20

1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments - Woodland






#### Proportion of each land class in area


Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Historical monthly area protected (Total Veg Cov>80%)

NU

1<sup>1</sup>1

NO




Inu

4


way

Ecosystem Research Infrastructure



### **Conservation and natural environments Woodland forest**

Land use and forest cover




12º0-200%

· 52°10010


· 32°10'50°10

0.30%


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 











Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Conservation and natural environments Forest (non woodland)**

Land use and forest cover





Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.





**Total Vegetation Cover Decile [%]** 






### **Conservation and natural environments Forest (non woodland) timeseries**






Water erosion historical monthly area protected (Total Veg Cov>70%)




### Agriculture


Land use and forest cover





**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







81.8%

80

70

60


### Proportion of each land class in area

Proportion of vegetation cover class in area


0.1%

3.0


3.5




### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





### Agriculture timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Historical monthly area protected (Total Veg Cov>80%)

JUL

NO

way


Ecosystem Research Infrastructure

CSIRO CONTRACTOR CONSISTENT RE

Jun

Australian Government

1's



### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover



12%200%


· 5200070010

3201050010


0.30%


Derived from

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




#### Proportion of each land class in area


98.7%

 $100 \cdot$ 

**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







Water erosion historical monthly area protected (Total Veg Cov>70%)




Historical monthly area protected (Total Veg Cov>80%)







### **Grazing non forest**





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)








#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


















### Cropping

12%200%


52°10-70°10

· 320/050010


0.30%




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Ecosystem Research Infrastructure Australian Government




Jun

JUJ


way

### **Production native forests and plantation forests**





Land use and forest cover

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









### Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


Use of Australia (2018) and Forests of Australia (2018)

Derived from






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





above 80





# Bridgetown-Greenbushes\_(S) (total 133,925 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	133,925	99.9% 133,850	99.9% 133,750	99.3% 133,025	97.9% 131,050	66.0% 88,350	21.5% 28,850
Conservation and natural environments	18,575	100.0% 18,575	99.9% 18,550	99.5% 18,475	98.5% 18,300	79.9% 14,850	25.7% 4,775
Conservation and natural environments Woodland forest	2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	76.7% 1,975	26.2% 675
Conservation and natural environments Forest (non woodland)	15,850	100.0% 15,850	100.0% 15,850	99.5% 15,775	98.7% 15,650	81.2% 12,875	25.9% 4,100
Agriculture	34,100	100.0% 34,100	100.0% 34,100	99.9% 34,075	98.5% 33,575	43.0% 14,675	9.4% 3,200
Grazing	28,275	100.0% 28,275	100.0% 28,275	99.9% 28,250	98.5% 27,850	42.7% 12,075	8.5% 2,400
Grazing non forest	27,900	100.0% 27,900	100.0% 27,900	99.9% 27,875	98.5% 27,475	42.9% 11,975	8.5% 2,375
Cropping	5,775	100.0% 5,775	100.0% 5,775	100.0% 5,775	98.3% 5,675	44.6% 2,575	13.9% 800
Production native forests and plantation forests	77,600	100.0% 77,600	100.0% 77,600	99.8% 77,425	98.6% 76,550	74.9% 58,125	26.7% 20,750

