Total vegetation cover soil protection Region:LGA Bridgetown-Greenbushes_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jun 2024

Land use and forest cover


Proportion of each land class in area



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Area not protected 0.9% of region (1,204 ha)

12%200%


· 52°10'70°10

32°10'50°10


· 0.30%



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Derived from

Use of Australia





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



















Conservation and natural environments

forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)






1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments - Woodland




Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]

- 20 Anomaly show how many percetage points each pixel is from the mean That - 10 pixel. The mean is only for the month of the map

the mean. That

are about 20% lower than the

is, red pixels

mean of that

using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




0


-10

-20






Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Woodland forest

Land use and forest cover




12º0-200%

· 52°10010


· 32°10'50°10

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]






Conservation and natural environments Woodland forest timeseries






Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)

Land use and forest cover





Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries





Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

12%100%


52°10010

3201050010


0.30%

Land use and forest cover







Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




NSW

124


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Agriculture timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover

Agriculture - Grazing - Non forest
Agriculture - Grazing - Non-woodland forest


12%200%

52°1070010


3201050010


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Water erosion historical monthly area protected (Total Veg Cov>70%)



Historical monthly area protected (Total Veg Cov>80%)






Grazing non forest

12%200%


52°1070010

3201050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



is, red pixels are about 20% lower than the


mean of that pixel. The mean

using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




20








Water erosion historical monthly area protected (Total Veg Cov>70%)



Historical monthly area protected (Total Veg Cov>80%)






Cropping

12º0-10000


· 52°10'70°10

· 320/0500/0


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Water erosion historical monthly area protected (Total Veg Cov>70%)






Production native forests and plantation forests


Land Use and Forests of Australia (2018) 1 Production native forests and plantation forests Catchment Scale Land


Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)

Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale

Use of Australia (2018) and Forests of Australia (2018)

Derived from





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Bridgetown-Greenbushes_(S) (total 133,825 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	133,825	100.0% 133,800	99.9% 133,750	99.1% 132,650	91.3% 122,225	51.3% 68,700	20.5% 27,425
Conservation and natural environments	18,550	100.0% 18,550	100.0% 18,550	99.5% 18,450	96.6% 17,925	63.2% 11,725	22.5% 4,175
Conservation and natural environments Woodland forest	2,575	100.0% 2,575	100.0% 2,575	100.0% 2,575	95.1% 2,450	47.6% 1,225	18.4% 475
Conservation and natural environments Forest (non woodland)	15,850	100.0% 15,850	100.0% 15,850	99.7% 15,800	97.2% 15,400	65.8% 10,425	23.0% 3,650
Agriculture	34,075	100.0% 34,075	100.0% 34,075	99.0% 33,725	84.8% 28,900	26.4% 9,000	6.8% 2,325
Grazing	28,275	100.0% 28,275	100.0% 28,275	99.3% 28,075	85.5% 24,175	26.3% 7,450	7.1% 2,000
Grazing non forest	27,900	100.0% 27,900	100.0% 27,900	99.3% 27,700	85.4% 23,825	26.1% 7,275	6.9% 1,925
Cropping	5,750	100.0% 5,750	100.0% 5,750	97.4% 5,600	81.3% 4,675	27.0% 1,550	5.7% 325
Production native forests and plantation forests	77,600	100.0% 77,575	99.9% 77,550	99.6% 77,325	94.3% 73,175	61.0% 47,300	26.7% 20,725

