LGA Broomehill-Tambellup_(S) (WA) - Vegetation cover soil protection report Aug 2019

This report provides information about vegetation covering the soil surface for a region during a single month with comparison to previous years. Vegetation cover indicates where soil is likely to be protected from wind and or water (hillslope) erosion. Results are shown for the whole region (polygon) and also separated by land use and tree cover. Different land uses are likely to have different cover patterns and targets. Reporting is most reliable with less than 20% tree cover.

Broomehill-Tambellup_(S)

Context

o Map: Land use and forest cover

- o Chart: Land use and forest cover area
- Total vegetation cover for this month

 Map: vegetation cover classified into 4 classes
 Chart: vegetation cover area classified into 4 classes
- Areas protected from erosion for the month

o Map: wind erosion protection (>50% cover)

- o Map: water erosion protection (>70% cover)
- Comparison with previous years
 - o Map: anomaly compare this month to the average cover from the same month in previous years
 - o Map: deciles rank this month against the same month in previous years
- Time series
 - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines)
 - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines).
 - o Rainfall: millimetres rainfall each month (black lines)
- Time series stacked by year
 - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines) in case of 5th percentile is less than 80i
 - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines). in case of 5th percentile is less than 80
- Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:
 - o the percentage area with pixels greater than 80% total clover
 - o the percentage area with pixels greater than 90% total clover
 - o the percentage area with pixels greater than 95% total clover

The following pages repeat the above sequence for each land use and forest cover class. For example

- All agricultural lands, that is grazing, cropping plus Horticulture (depending on what land use is present)
- Grazing lands by forest classes if present
- Cropping lands
- Irrigation lands
- - Protected areas by forest classes if present
 - Explanatory notes:

This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool. The report is based on an analysis of 500 metre pixels. Pixels with greater than or equal to 50% vegetation cover are generally considered to be protected from or have reduced soil loss by wind erosion, and pixels with greater than or equal to 70% vegetation cover are generally considered to also be protected from or have reduced soil loss from water (hillslope) erosion. Report used baseline from 2001 to 2019 for each month to generate anomalies and deciles. And it used threshold of 1% to create land use forest cover reports. Higher cover thresholds may be required for erosion protection in some regions. This report will be less applicable in areas with sparse forest (20-50% tree cover) or dense forest (> 50% tree cover). Therefore land use classes are divided by tree cover: 1) No forest is when there is less than 20% tree cover 2) Sparse forest, is when there is less than 20 to 50 % tree cover 3) Dense forest is greater than 50% tree cover

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2019

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Area not protected 0.5% of region (1,304 ha)



Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)



Area not protected 0.0% of region (0

Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

protected 100.0% of region (260,975 ha)

Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


based on 2015


20% tree cover,

cover.

landuse and

-20






Conservation and natural environments


Landuse map of area based on 2015 catchment scale landuse and Australia's National Conservation and natural environments - Non-forest Forest Inventory, Conservation and natural environments - Woodland where no forest is < forest 20% tree cover, Conservation and natural environments - Non-woodland forest sparse is 20 to 50% and dense > 50% tree cover.


Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)














% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]






Total Vegetation Cover Decile [%]

\$

°°,

A.1

2.5






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




100.0-97.5 95.0 ---- above_70 **—** 10th 92.5 **——** 50th 90.0 87.5 85.0-82.5 Jan fed In way PQ' 1's Mai month ERN CSIRC Australian Government


Wind erosion historical monthly area protected (Total Veg Cov >50%)













Conservation and natural environments non forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]






- 20


12%100%

52% 70%

· 32°10'50°10

0.30%






\$

୍ଚ୍ଚ

A.1

2?5

Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





8




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)










Conservation and natural environments Woodland forest


Landuse map of area based on 2015 catchment scale landuse and Australia's National Forest Inventory, where no forest is < 20% tree cover, sparse is 20 to 50% and dense > 50% tree cover.

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]





- 20


12% 200%

52% 70%

· 3201050010

0.30%

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




\$

୍ଚ୍ଚ

A.1

2³⁵

Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Conservation and natural environments Woodland forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Australian Government

Agriculture

Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Area protected 100.0% of region (242,500


ĥa)

Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]




Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the


mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




- 20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Agriculture timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Grazing


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]







12%100%

52%70%

· 32°10'50°10

0.30%






\$

°°,

A.1

2.5


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)







Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



Grazing non forest

12%200%

52%70%


320050010

0.30%


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





- 20




\$

ଚ,୍ଚ

A.1

2.5

Total Vegetation Cover Decile [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Grazing non forest timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Cropping

Land use and forest cover





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






23

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



CSIRO

Total Vegetation Cover Anomaly [%]



-20

RN

- 20



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.






\$


ଚ,୍ଚ

A.1

2.5





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 90 80 70 60 50 40 Jan 4eb way In Mai PQ In, month ERN **HAR** CSIRC Australian Government







Broomehill-Tambellup_(S) (total 260,975 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and forest cover Class | area(ha) | above_30 | above_50 | above_70 | above_80 | above_90 | above_95 |
|--|----------|-------------------|-------------------|------------------|------------------|-----------------|---------------|
| Entire region | 260,975 | 100.0% 260,950 | 100.0% 260,925 | 99.5% 259,675 | 89.9% 234,575 | 22.3% 58,075 | 2.9% 7,675 |
| Conservation and natural environments | 14,353 | 100.0% 14,353 | 100.0% 14,353 | 99.8% 14,328 | 93.5% 13,414 | 37.7% 5,410 | 6.9% 988 |
| Conservation and natural environments non forest | 8,873 | 100.0% 8,873 | 100.0% 8,873 | 99.7% 8,848 | 91.5% 8,121 | 27.7% 2,456 | 5.1% 451 |
| Conservation and natural environments Woodland forest | 5,480 | 100.0% 5,480 | 100.0% 5,480 | 100.0% 5,480 | 96.4% 5,284 | 52.7% 2,887 | 9.4% 513 |
| Agriculture | 242,706 | 100.0% 242,706 | 100.0% 242,706 | 99.5% 241,580 | 89.7% 217,760 | 21.0% 51,043 | 2.4% 5,754 |
| Grazing | 28,707 | 100.0% 28,707 | 100.0% 28,707 | 100.0% 28,707 | 93.2% 26,749 | 32.7% 9,385 | 3.6% 1,028 |
| Grazing non forest | 28,707 | 100.0% 28,707 | 100.0% 28,707 | 100.0% 28,707 | 93.2% 26,749 | 32.7% 9,385 | 3.6% 1,028 |
| Cropping | 213,999 | 100.0% 213,999 | 100.0% 213,999 | 99.5% 212,873 | 89.3% 191,013 | 19.5% 41,669 | 2.2% 4,727 |

