Total vegetation cover soil protection Region:LGA Broomehill-Tambellup_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jun 2022

Land use and forest cover

Derived from

pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the

using baseline from 2001 to 2019.


month of the map

the mean. That

Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)










Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Area not protected 0.0% of region (0

Total Vegetation Cover Anomaly [%]




Deciles show where the


Total Vegetation Cover Decile [%]







2




Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


I Construction of the second secon


Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)









Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



100.0-97.5 95.0 92.5 90.0-87.5 85.0-82.5 4e0 Jan In way Mai Þ6, month tern Ecosystem Research Infrastructure


Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments non forest

Land use and forest cover




12%100%

52% 70%


· 3201050010

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]





Conservation and natural environments non forest timeseries



100

95

90


85


80

75

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

12%100%


52% 70%

· 3201050010


0.30%

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]













100 99 98-97 96 95 94 93 4eb lar In May Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

Land use and forest cover




Total Vegetation Cover [%]





% Area protected from water erosion (>70%)






1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated






Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline

the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 90 80 70 60 50 4er lar way In W31 PQ month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing


Land use and forest cover





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)










Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


---- above_70 **—** 10th **——** 50th

Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]





12



100

95

90

85

80


75

70

65

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




---- above_70 **—** 10th **——** 50th

4eb Jan way In Mai Þb, month tern Ecosystem Research Infrastructure


Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)




Cropping

Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline

the map using baseline from 2001 to 2019.






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Broomehill-Tambellup_(S) (260,850 ha and no data 82 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	260,850	100.0% 260,725	99.9% 260,600	98.6% 257,225	90.0% 234,700	48.0% 125,150	23.7% 61,700
Conservation and natural environments	14,525	100.0% 14,525	100.0% 14,525	99.0% 14,375	94.3% 13,700	59.0% 8,575	26.5% 3,850
Conservation and natural environments non forest	8,850	100.0% 8,850	100.0% 8,850	99.4% 8,800	93.5% 8,275	57.3% 5,075	29.7% 2,625
Conservation and natural environments Woodland forest	5,600	100.0% 5,600	100.0% 5,600	98.2% 5,500	96.0% 5,375	61.6% 3,450	21.9% 1,225
Agriculture	242,500	100.0% 242,475	100.0% 242,400	98.7% 239,450	89.9% 218,075	47.3% 114,750	23.5% 56,925
Grazing	28,575	100.0% 28,575	100.0% 28,575	99.3% 28,375	92.6% 26,450	49.5% 14,150	23.4% 6,700
Grazing non forest	28,575	100.0% 28,575	100.0% 28,575	99.3% 28,375	92.6% 26,450	49.5% 14,150	23.4% 6,700
Cropping	213,925	100.0% 213,900	100.0% 213,825	98.7% 211,075	89.6% 191,625	47.0% 100,600	23.5% 50,225

