## Total vegetation cover soil protection Region:LGA Broomehill-Tambellup\_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









**Date: May 2024** 

## **Vegetation Cover May 2024**

## Land use and forest cover

Catchment Scale

Derived from


pixel is from

mean of that pixel. The mean is only for the


using baseline from 2001 to 2019.

the mean. That is, red pixels are about 20% lower than the


Use of Australia




## Proportion of each land class in area




## **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## **Total Vegetation Cover Decile [%]**

















## **Conservation and natural environments**


## Proportion of each land class in area **Land use and forest cover** 60.9% 60 50 Catchment Scale Land Use and Forests of Australia (2018) 40 38.6% 1 Conservation and natural environments - Nonforest Derived from Area 08 Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-woodland forest (2018) and Forests of Australia (2018) 20 10 0.5% 0.5 1.0 2.0 2.5 **-**0.5 1.5 0.0 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 94.4% 80 20 4.7% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not protected 5.6% of Area not protected 1.0% of region (804 ha) region (144 ha) Area Area protected 99.0% of protected 94.4% of region (13,546 region (14,206 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** Anomaly show how many percetage points each pixel is from Deciles show where the pixel value lies in the - 10 the mean. That record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10**-**20 **National** Landcare


Australian Government


Programme


**Ecosystem Research Infrastructure** 


## **Conservation and natural environments timeseries**












## **Conservation and natural environments non forest**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%]


## Area not protected from water erosion (>70%) Area not protected 5.7% of region (496 ha) Area protected 94.3% of region (8,204 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## 















## **Conservation and natural environments non forest timeseries**

99.0

98.8

4eD








month

2022 2023 2024

Wind erosion historical monthly area protected (Total Veg Cov >50%)








## **Conservation and natural environments Woodland forest**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Australia (2018) 1 Conservation and natural environments - Woodland forest 1 Conservation and natural environments - Woodland

## Total Vegetation Cover [%]


## Area not protected 5.4% of region (301 ha) Area protected 94.6% of region (5,274 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Area not protected 0.0% of region (0 ha)
Area protected 100.0% of region (5,575 ha)
















## **Conservation and natural environments Woodland forest timeseries**












## **Agriculture**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated


## **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


## Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



















## **Agriculture timeseries**







Wind erosion historical monthly area protected (Total Veg Cov >50%)












## **Grazing**

## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest


## **Total Vegetation Cover [%]**










Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.





















## **Grazing timeseries**






month







## **Grazing non forest**

## Land use and forest cover 1 Agriculture - Grazing - Non forest


Catchment Scale Land Use and Forests of Australia (2018)


Derived from Catchment Scale Land


Use of Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%]


# Area not protected 6.4% of region (1,822 ha) Area protected 93.6% of region (26,653 ha)
























## **Grazing non forest timeseries**












## **Cropping**


## Land use and forest cover




## **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.


## Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**








**Ecosystem Research Infrastructure** 










## **Cropping timeseries**






month







## Broomehill-Tambellup\_(S) (259,100 ha and no data 1,832 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	259,100	99.8% 258,700	99.4% 257,475	88.5% 229,400	55.2% 142,900	11.3% 29,225	3.3% 8,425
Conservation and natural environments	14,350	99.8% 14,325	99.1% 14,225	94.4% 13,550	71.1% 10,200	16.0% 2,300	4.5% 650
Conservation and natural environments non forest	8,700	100.0% 8,700	98.9% 8,600	94.3% 8,200	69.3% 6,025	17.5% 1,525	5.5% 475
Conservation and natural environments Woodland forest	5,575	99.6% 5,550	99.6% 5,550	94.6% 5,275	73.5% 4,100	13.5% 750	3.1% 175
Agriculture	241,600	99.9% 241,400	99.5% 240,375	88.3% 213,425	54.3% 131,125	10.9% 26,425	3.1% 7,575
Grazing	28,475	100.0% 28,475	99.8% 28,425	93.6% 26,650	68.1% 19,400	18.3% 5,225	5.1% 1,450
Grazing non forest	28,475	100.0% 28,475	99.8% 28,425	93.6% 26,650	68.1% 19,400	18.3% 5,225	5.1% 1,450
Cropping	213,125	99.9% 212,925	99.4% 211,950	87.6% 186,775	52.4% 111,725	9.9% 21,200	2.9% 6,125







