### Total vegetation cover soil protection Region:LGA Busselton (C) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

**Date: February 2025** 

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Feb 2025**


### Proportion of each land class in area






# Total Vegetation Cover [%] Total Vegetation Cover [%] Tiple tigolo Stole Total Stole Total

### Proportion of vegetation cover class in area








% Area protected from wind erosion (>50%)




### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**



















.


### **Conservation and natural environments**


### 60 57.6% Land use and forest cover 50 Catchment Scale 40 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Derived from Catchment Scale L 26.2% Use of Australia (2018) and Forest 3 Conservation and natural environments - Non-woodland forest of Australia (2018) 20 16.2% 10 -0.50.5 1.5 2.0 2.5 0.0 1.0 Land use class







Proportion of each land class in area





















### **Conservation and natural environments timeseries**




### Wind erosion historical monthly area protected (Total Veg Cov >50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)





### **Conservation and natural environments non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Forests of Australia (2018) Use of Australia (2018) of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

# 80 - 89.2% 80 - 60 - 20 - 20 - 0.30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class






















### **Conservation and natural environments non forest timeseries**


















### **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) Of Australia (2018) Of Australia (2018) Of Australia (2018) Of Australia (2018)

























### **Conservation and natural environments Woodland forest timeseries**










### **Conservation and natural environments Forest (non woodland)**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] 72 (or Idole System) 73 (or Idole System) 74 (or Idole System) 75 (or Idole System) 75 (or Idole System) 76 (or Idole System) 77 (or Idole System) 78 (or Idole Sys























### Conservation and natural environments Forest (non woodland) timeseries






month









### **Agriculture**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Irrigated Use of Australia (2018) 6 Agriculture - Horticulture - Irrigated

### Proportion of each land class in area







### Proportion of vegetation cover class in area








% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]** Anomaly show how many percetage points each - 20 pixel is from the mean. That is, red pixels - 10 are about 20% lower than the mean of that - 0 pixel. The mean is only for the -10month of the map using baseline from 2001 to 2019. **-**20














### **Agriculture timeseries**










### **Grazing**

### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)


### Proportion of each land class in area








### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That - 20 is, red pixels - 10 are about 20% lower than the mean of that - 0 pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10

**Total Vegetation Cover Anomaly [%]** 

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.












**-**20

### **Grazing timeseries**









### **Grazing non forest**

### **Land use and forest cover**




# **Total Vegetation Cover [%]**


### **Proportion of vegetation cover class in area**



### % Area protected from water erosion (>70%)




### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That - 20 is, red pixels are about 20% - 10 lower than the mean of that - 0 pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10

**Total Vegetation Cover Anomaly [%]** 

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














**-**20

### **Grazing non forest timeseries**







### Irrigation


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated 3 Agriculture - Horticulture - Irrigated


### 60 - 60.5% 50 - 40 - 39.4% 20 - 10 - 0.5 0.0 0.5 1.0 1.5 2.0 2.5 Land use class

**Proportion of each land class in area** 


## Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]









### % Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














region (13,195 ha)

### **Irrigation timeseries**










### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]






















### **Production native forests and plantation forests timeseries**







### Busselton\_(C) (144,775 ha and no data 535 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	144,775	99.9% 144,650	99.4% 143,900	96.7% 139,975	89.0% 128,850	44.1% 63,875	9.0% 12,975
Conservation and natural environments	24,925	100.0% 24,925	99.4% 24,775	96.3% 24,000	84.1% 20,950	34.8% 8,675	7.8% 1,950
Conservation and natural environments non forest	6,250	100.0% 6,250	98.0% 6,125	89.2% 5,575	65.6% 4,100	6.4% 400	0.4% 25
Conservation and natural environments Woodland forest	4,100	100.0% 4,100	100.0% 4,100	99.4% 4,075	92.7% 3,800	36.0% 1,475	6.1% 250
Conservation and natural environments Forest (non woodland)	14,575	100.0% 14,575	99.8% 14,550	98.5% 14,350	89.5% 13,050	46.7% 6,800	11.5% 1,675
Agriculture	75,775	99.9% 75,725	99.7% 75,550	98.3% 74,500	90.7% 68,700	36.4% 27,575	8.9% 6,750
Grazing	62,500	99.9% 62,450	99.6% 62,275	98.1% 61,300	90.5% 56,550	37.6% 23,525	9.7% 6,075
Grazing non forest	62,450	99.9% 62,400	99.6% 62,225	98.1% 61,250	90.5% 56,500	37.6% 23,475	9.7% 6,075
Irrigation	13,275	100.0% 13,275	100.0% 13,275	99.4% 13,200	91.5% 12,150	30.5% 4,050	5.1% 675
Production native forests and plantation forests	36,875	100.0% 36,875	100.0% 36,875	99.5% 36,675	98.0% 36,150	72.6% 26,775	10.9% 4,025







