Total vegetation cover soil protection Region:LGA Carnamah_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Mar 2025


Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Land Use and Forests Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests 8 Agriculture - Cropping - Non-irrigated of Australia (2018) 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation 13 Other uses

Proportion of each land class in area







Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage -points each pixel is from the mean. That 10 is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the -10month of the map using baseline from 2001 to **-**20 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments


99.9% 100 Land use and forest cover 80 Catchment Scale Land Use and Forests of Australia (2018) 60 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland Catchment Scale Lar Use of Australia -(2018) and Forests of Australia (2018) 40 20 -0.250.00 0.25 0.50 1.25 0.75 1.00 Land use class


Total Vegetation Cover [%] Trelo Indole Spelo Indole Spe




Proportion of each land class in area

% Area protected from water erosion (>70%) Area not protected 13.5% of region (16,031 ha) Area protected 86.5% of region (102,719 ha)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Trele-trole Trele-trole


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments non forest timeseries










Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Irrigated Derived from 3 Agriculture - Cropping - Non-irrigated Catchment Scale Lan 4 Agriculture - Cropping - Irrigated Use of Australia -(2018) and Forests of Australia (2018) 5 Agriculture - Horticulture - Irrigated

Proportion of each land class in area 100 95.4% 80 60 Area (%) 40 20 0.7% 2 Land use class


Total Vegetation Cover [%]









% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Agriculture timeseries









Grazing

20

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) 1 Agriculture - Grazing - Non forest of Australia (2018)

100 - 100.0% 80 - (%) 60 - 40 -

Proportion of each land class in area

Proportion of vegetation cover class in area

0.0

Land use class

0.1

0.2

0.3


0.4


-0.2

-0.1


-0.3

-0.4






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)


Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Ticloration T


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Grazing non forest timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Tiph Tubolo Tip


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Cropping timeseries









Carnamah_(S) (274,325 ha and no data 12,640 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	274,325	99.9% 274,100	97.8% 268,225	79.7% 218,600	50.5% 138,450	10.8% 29,675	3.5% 9,575
Conservation and natural environments	118,750	100.0% 118,750	99.0% 117,550	86.5% 102,700	56.9% 67,550	7.3% 8,675	1.7% 2,000
Conservation and natural environments non forest	118,575	100.0% 118,575	99.0% 117,375	86.5% 102,525	56.9% 67,500	7.3% 8,675	1.7% 2,000
Agriculture	144,675	100.0% 144,625	97.0% 140,275	74.2% 107,400	45.2% 65,425	13.1% 19,000	4.6% 6,650
Grazing	5,600	100.0% 5,600	87.9% 4,925	58.9% 3,300	36.6% 2,050	12.1% 675	3.1% 175
Grazing non forest	5,600	100.0% 5,600	87.9% 4,925	58.9% 3,300	36.6% 2,050	12.1% 675	3.1% 175
Cropping	138,000	100.0% 137,950	97.3% 134,300	74.9% 103,350	45.8% 63,225	13.3% 18,325	4.7% 6,475







