Total vegetation cover soil protection Region:LGA Cockburn (C) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: December 2021

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Dec 2021


Proportion of each land class in area






Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Conservation and natural environments


Proportion of each land class in area






Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mag using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries











Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Type: Ideole Ty


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mag using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Conservation and natural environments non forest timeseries






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

month



Conservation and natural environments Woodland forest

Land use and forest cover



Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


0.0%

31%-50%

0-30%


Proportion of vegetation cover class in area

% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)

Total Vegetation Cover class



51%-70%

71%-100%

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mag using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Conservation and natural environments Woodland forest timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)

Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest Catchment Scale-Land 2 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)


50.0% 50.0% 50 · 40 Area (%) 80 20 10 -0.00 0.50 0.75 1.00 1.25 -0.250.25 Land use class

Proportion of each land class in area







Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the - 10 lower than the mean of that pixel. The mean is only for the month of the mag using baseline from 2001 to 2019. **-**20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.













Agriculture timeseries










Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


100 - 100.0% 80 - (%) 60 - 20 - 0.4 - 0.3 - 0.2 - 0.1 0.0 0.1 0.2 0.3 0.4 Land use class


Proportion of each land class in area

Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Grazing timeseries











Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Tulo Julo 100 | Spolo Julo 100 | Sp


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]














- 10


-20

Grazing non forest timeseries









Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use and Forests of Australia (2018) Use of Australia (2018) A priculture - Horticulture - Irrigated 1 Agriculture - Horticulture - Irrigated

100 - 100.0% 80 - (%) 60 - 40 - 20 -

Proportion of each land class in area

Proportion of vegetation cover class in area

0.0

Land use class

0.1

0.2


0.3


-0.2

-0.1


-0.3

-0.4






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the magusing baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Irrigation timeseries











Production native forests and plantation forests


Land use and forest cover




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mag using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Production native forests and plantation forests timeseries


82.5






month

Wind erosion historical monthly area protected (Total Veg Cov >50%)





Cockburn_(C) (15,700 ha and no data 1,141 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	15,700	99.8% 15,675	93.2% 14,625	39.5% 6,200	14.5% 2,275	1.8% 275	0.8% 125
Conservation and natural environments	2,800	100.0% 2,800	98.2% 2,750	80.4% 2,250	50.0% 1,400	7.1% 200	1.8% 50
Conservation and natural environments non forest	1,175	100.0% 1,175	95.7% 1,125	80.9% 950	61.7% 725	17.0% 200	4.3% 50
Conservation and natural environments Woodland forest	1,625	100.0% 1,625	100.0% 1,625	80.0% 1,300	41.5% 675	0.0%	0.0%
Agriculture	625	100.0% 625	100.0% 625	52.0% 325	4.0% 25	0.0%	0.0%
Grazing	300	100.0% 300	100.0% 300	58.3% 175	8.3% 25	0.0% 0	0.0%
Grazing non forest	300	100.0% 300	100.0% 300	58.3% 175	8.3% 25	0.0%	0.0%
Irrigation	325	100.0% 325	100.0% 325	46.2% 150	0.0%	0.0%	0.0%
Production native forests and plantation forests	1,400	100.0% 1,400	85.7% 1,200	46.4% 650	10.7% 150	0.0% 0	0.0%







