Total vegetation cover soil protection Region:LGA Cranbrook (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: November 2023

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Nov 2023


Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Land Use and Forests Non-Woodland forest of Australia (2018 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale-6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forest 8 Agriculture - Cropping - Non-irrigated of Australia (2018 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation 13 Other uses

Proportion of each land class in area



Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Conservation and natural environments


60.9% Land use and forest cover 60 50 Catchment Scale Land Use and Forests of Australia (2018) Derived from ${\bf 1}$ Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Catchment Scale Land 30 Use of Australia (2018) and Forest 3 Conservation and natural environments - Non-woodland forest of Australia (2018 20.0% 19.1% 20 10 --0.5 1.5 0.5 1.0 2.0 0.0 Land use class







Proportion of each land class in area





















Conservation and natural environments timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)









Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Type Type 100 of the state of the state

Proportion of vegetation cover class in area 100 - 99.2% 80 - 80 - 99.2% 40 - 20 - 0 0.3% 0.5% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class





















Conservation and natural environments non forest timeseries






month










Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%] Total Vegetation Cover [%] Tolographic Cover [%] Total Vegetation Cover [%]





















Conservation and natural environments Woodland forest timeseries






month










Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Forest of Australia (2018) Use of Australia (2018) and Forest of Australia (2018) The state of


Total Vegetation Cover [%] Tyler toole Steler toole Ste




























month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale und Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Non-woodland forest 3 Agriculture - Grazing - Irrigated 4 Agriculture - Cropping - Non-irrigated 5 Agriculture - Horticulture - Irrigated

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Agriculture timeseries














Grazing




Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing timeseries






____ 2005


→ 2014
→ 2015

--- 2023




Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Grazing non forest timeseries

99.65

99.60

4elo







month


--- 2022

--- 2023

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Cropping timeseries









Production native forests and plantation forests


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale lind Use of Australia (2018) Australia (2018) Of Australia (2018) Of Australia (2018)


Total Vegetation Cover [%] Typic Toolo Typ

Proportion of vegetation cover class in area 100 - 99.7% 80 - 99.7% 40 - 20 - 0.0% 0.0% 0.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class



















Production native forests and plantation forests timeseries






→ 2009

→ 2014
→ 2015

--- 2023



Cranbrook_(S) (325,200 ha and no data 2,517 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and forest cover Class | area(ha) | above_30 | above_50 | above_70 | above_80 | above_90 | above_95 |
|--|----------|-------------------|-------------------|------------------|------------------|------------------|-----------------|
| Entire region | 325,200 | 100.0% 325,200 | 100.0% 325,100 | 99.8% 324,525 | 96.5% 313,700 | 57.3% 186,200 | 22.6% 73,575 |
| Conservation and natural environments | 82,275 | 100.0% 82,275 | 99.9% 82,225 | 99.8% 82,150 | 97.7% 80,400 | 65.5% 53,850 | 12.6% 10,400 |
| Conservation and natural environments non forest | 16,200 | 100.0% 16,200 | 99.7% 16,150 | 99.2% 16,075 | 92.1% 14,925 | 44.6% 7,225 | 10.8% 1,750 |
| Conservation and natural environments Woodland forest | 50,275 | 100.0% 50,275 | 100.0% 50,275 | 100.0% 50,275 | 99.1% 49,825 | 69.8% 35,100 | 11.7% 5,875 |
| Conservation and natural environments Forest (non woodland) | 15,800 | 100.0% 15,800 | 100.0% 15,800 | 100.0% 15,800 | 99.1% 15,650 | 72.9% 11,525 | 17.6% 2,775 |
| Agriculture | 199,550 | 100.0% 199,550 | 100.0% 199,550 | 99.9% 199,375 | 96.1% 191,675 | 53.8% 107,350 | 27.6% 55,000 |
| Grazing | 71,800 | 100.0% 71,800 | 100.0% 71,800 | 100.0% 71,775 | 96.3% 69,150 | 61.2% 43,925 | 34.6% 24,825 |
| Grazing non forest | 71,025 | 100.0% 71,025 | 100.0% 71,025 | 100.0% 71,000 | 96.3% 68,400 | 61.1% 43,400 | 34.5% 24,525 |
| Cropping | 125,400 | 100.0% 125,400 | 100.0% 125,400 | 99.9% 125,250 | 95.9% 120,250 | 49.8% 62,400 | 23.9% 29,975 |
| Production native forests and plantation forests | 38,775 | 100.0% 38,775 | 100.0% 38,775 | 99.7% 38,650 | 97.0% 37,625 | 58.8% 22,800 | 17.7% 6,850 |







