Total vegetation cover soil protection Region:LGA Cranbrook_(S) WA

Date: August 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2024

Proportion of each land class in area







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)








Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]














Proportion of each land class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)












Conservation and natural environments non forest







% Area protected from water erosion (>70%)











Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Conservation and natural environments non forest timeseries



100

98

96

94

92

90


88

86-

84

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



month tern Ecosystem Research Infrastructure Australian Government

26,

4eb

War

Jan


9


way

In


12


Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments Woodland forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Conservation and natural environments Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)










13


Wind erosion historical monthly area protected (Total Veg Cov >50%)










Conservation and natural environments Forest (non woodland)









Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Conservation and natural environments Forest (non woodland) timeseries















Agriculture




Proportion of each land class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 98 ---- above_70 **—** 10th **——** 50th 96 94 92 4eb Par PQ' Way Mai tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)


Inu



Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Grazing




Proportion of each land class in area


% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 99 98 ---- above_70 076 **—** 10th **--** 50th 97 96 95 94 feb Jan Inu May PQ1 War month tern Ecosystem Research Infrastructure Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)






Grazing non forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Cropping






% Area protected from water erosion (>70%)




99.6% 100 80 Area (%) 60 40 20 0.0% 0.4% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)







Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)

Production native forests and plantation forests







% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Production native forests and plantation forests timeseries






100 99 ---- above_70 **—** 10th **--** 50th 98 **—** 2024 Aug 97 96 fed ar In Mai PQ May month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





Cranbrook_(S) (326,675 ha and no data 1,042 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	326,675	100.0% 326,550	100.0% 326,525	99.7% 325,600	94.2% 307,875	37.4% 122,175	11.0% 35,825
Conservation and natural environments	82,650	100.0% 82,650	100.0% 82,650	99.9% 82,575	97.6% 80,650	55.0% 45,425	15.7% 12,950
Conservation and natural environments non forest	16,500	100.0% 16,500	100.0% 16,500	99.7% 16,450	95.2% 15,700	47.1% 7,775	15.3% 2,525
Conservation and natural environments Woodland forest	50,350	100.0% 50,350	100.0% 50,350	100.0% 50,325	98.4% 49,550	56.0% 28,200	14.3% 7,175
Conservation and natural environments Forest (non woodland)	15,800	100.0% 15,800	100.0% 15,800	100.0% 15,800	97.5% 15,400	59.8% 9,450	20.6% 3,250
Agriculture	199,775	100.0% 199,750	100.0% 199,750	99.7% 199,225	93.1% 185,975	27.7% 55,350	7.3% 14,500
Grazing	71,800	100.0% 71,800	100.0% 71,800	99.9% 71,750	93.4% 67,075	25.7% 18,425	5.8% 4,175
Grazing non forest	71,025	100.0% 71,025	100.0% 71,025	99.9% 70,975	93.5% 66,425	25.8% 18,300	5.9% 4,175
Cropping	125,625	100.0% 125,600	100.0% 125,600	99.6% 125,125	92.8% 116,625	28.7% 36,025	8.0% 10,025
Production native forests and plantation forests	38,775	100.0% 38,775	100.0% 38,775	99.8% 38,700	94.1% 36,500	48.7% 18,875	18.6% 7,225

