Total vegetation cover soil protection Region:LGA Cuballing (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Mar 2025


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]
















Conservation and natural environments



Conservation and natural environments timeseries


99.850

99.825



99.850

99.825



month

2020 2021 2022

2023 2024 2025


401

Conservation and natural environments non forest

Catchment Scale Land Use and Forest of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]

% Area protected from water erosion (>70%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area 97.7% 80 60 20 0.0% 0-30% 31%-50% 51%-70% 71%-100%

% Area protected from wind erosion (>50%)

Total Vegetation Cover class



Total Vegetation Cover Decile [%]




















month







Conservation and natural environments Woodland forest





Total Vegetation Cover [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Wind erosion historical monthly area protected (Total Veg Cov >50%)





100 **---** 2002 2003 98 → 2005 → 2007 2008 2009 96 → 2013 2014 2015 94 → 2017 92 2021 → 2023 90 **→** 2024 **→** 2025 month National Landcare

Water erosion historical monthly area protected (Total Veg Cov>70%)


Ecosystem Research Infrastructure

Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated

Proportion of each land class in area 100 97.7% 80 40 20 -2.3% 0.00 0.50 0.75 1.25 0.25 1.00 -0.25Land use class







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%] 8,9


Ecosystem Research Infrastructure









Agriculture timeseries







month


Water erosion historical monthly area protected (Total Veg Cov>70%)







Grazing











Proportion of each land class in area

































Grazing timeseries






Grazing non forest

Catchment Scale Land Use and Foresta of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


Area not protected 5.4% of region (124 ha) Area protected 94.6% of region (2,176 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 94.6% 94.6% 94.6% 94.6% 94.6% 94.6% 94.6% 94.6% 94.6% 94.6% 71%-100% Total Vegetation Cover class
















Grazing non forest timeseries






Cropping

Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Cropping timeseries





month







Production native forests and plantation forests

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Production native forests and plantation forests

Total Vegetation Cover [%]


% Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 99.4% 100 80 Area (%) 20 0.0% 31%-50% 0-30% 51%-70% 71%-100% **Total Vegetation Cover class**















Production native forests and plantation forests timeseries





Cuballing_(S) (total 119,650 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	119,650	100.0% 119,650	99.9% 119,575	94.8% 113,425	69.6% 83,300	19.3% 23,125	5.8% 6,900
Conservation and natural environments	14,450	100.0% 14,450	100.0% 14,450	99.1% 14,325	86.5% 12,500	15.9% 2,300	2.8% 400
Conservation and natural environments non forest	2,175	100.0% 2,175	100.0% 2,175	97.7% 2,125	71.3% 1,550	21.8% 475	3.4% 75
Conservation and natural environments Woodland forest	12,275	100.0% 12,275	100.0% 12,275	99.4% 12,200	89.2% 10,950	14.9% 1,825	2.6% 325
Agriculture	101,025	100.0% 101,025	99.9% 100,950	94.0% 94,950	66.2% 66,900	20.1% 20,275	6.3% 6,375
Grazing	2,300	100.0% 2,300	100.0% 2,300	94.6% 2,175	66.3% 1,525	18.5% 425	5.4% 125
Grazing non forest	2,300	100.0% 2,300	100.0% 2,300	94.6% 2,175	66.3% 1,525	18.5% 425	5.4% 125
Cropping	98,725	100.0% 98,725	99.9% 98,650	94.0% 92,775	66.2% 65,375	20.1% 19,850	6.3% 6,250
Production native forests and plantation forests	4,100	100.0% 4,100	100.0% 4,100	99.4% 4,075	93.3% 3,825	12.8% 525	3.0% 125







