# Total vegetation cover soil protection Region:LGA Cue (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

**Date: September 2021** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

Land use forest cover:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









# **Vegetation Cover Sep 2021**

#### Land use and forest cover

Catchment Scale

Derived from

Use of Australia

of Australia (2018)

Anomaly show how many percetage points each

pixel is from


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


the mean. That is, red pixels are about 20% lower than the

#### Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments -Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments -Land Use and Forests Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Woodland forest Catchment Scale Land 6 Agriculture - Grazing - Non-woodland forest 7 Agriculture - Grazing - Irrigated (2018) and Forests 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


#### Proportion of each land class in area




# **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














# **Conservation and natural environments**

# Land use and forest cover Proportion of each land class in area 100 97.4% Catchment Scale Land Use and Forests of Australia (2018) 60 1 Conservation and natural environments - Non-forest Area (%) Derived from Catchment Scale Land 2 Conservation and natural environments - Woodland Use of Australia (2018) and Forests of Australia (2018) 40 20 2.6% Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 55.2% 50 42.4% 40 Area (%) 20 10 -0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected 98.2% of protected 43.0% of region (41,731 region (95,303 ha) ha) Area Area protected 57.0% of protected 1.8% of region (55,318 region (1,746 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from Deciles show where the pixel value lies in the - 10 the mean. That record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of is, red pixels are about 20% lower than the mean of that pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10 **-**20 **National**


Australian Government


Ecosystem Research Infrastructure


Landcare

Programme

# **Conservation and natural environments timeseries**









# **Conservation and natural environments non forest**

#### Land use and forest cover



#### **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

the mean. That


is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
















# **Conservation and natural environments non forest timeseries**




# Wind erosion historical monthly area protected (Total Veg Cov >50%) 90-2010 70-<del>×</del> 2017 2021 30-







# **Agriculture**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) and Forests of Australia (2018)





Proportion of each land class in area







# 56.2% 50 43.7% 40 Area (%) .0 . 20 -10 -0.0% 0.1% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**












Anomaly show how many percetage points each pixel is from the mean. That


is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean

**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Agriculture timeseries**












# **Grazing**

# Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest (2018) and Forests of Australia (2018)









Proportion of vegetation cover class in area


Proportion of each land class in area

# 56.2% 50 43.7% 40 Area (%) .0 . 20 -10 -0.0% 0.1% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**



% Area protected from wind erosion (>50%)








Anomaly show how many percetage points each pixel is from the mean. That


is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean

**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













# **Grazing timeseries**











# **Grazing non forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

is, red pixels are about 20% lower than the




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**











# **Grazing Woodland forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)















# **Grazing Woodland forest timeseries**





2013
2014
2015

→ 2016 → 2017

# Cue\_(S) (1,353,200 ha and no data 4,999 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,353,200	99.9% 1,352,125	57.1% 772,275	1.5% 20,750	0.8% 11,450	0.4% 5,975	0.3% 4,000
Conservation and natural environments	97,050	99.4% 96,475	57.0% 55,300	1.8% 1,775	0.7% 725	0.2% 225	0.1% 75
Conservation and natural environments non forest	94,550	99.4% 93,975	56.0% 52,975	1.9% 1,775	0.8% 725	0.2% 225	0.1% 75
Agriculture	1,162,600	100.0% 1,162,475	56.3% 655,000	0.1% 1,675	0.1% 675	0.0% 200	0.0% 50
Grazing	1,162,600	100.0% 1,162,475	56.3% 655,000	0.1% 1,675	0.1% 675	0.0% 200	0.0% 50
Grazing non forest	1,147,425	100.0% 1,147,300	55.8% 640,050	0.1% 1,675	0.1% 675	0.0% 200	0.0% 50
Grazing Woodland forest	15,175	100.0% 15,175	98.5% 14,950	0.0% 0	0.0% 0	0.0%	0.0%







