Total vegetation cover soil protection Region:LGA Dalwallinu (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: June 2022

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jun 2022


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]














Conservation and natural environments

Land use and forest cover **Proportion of each land class in area** 87.5% 80 Catchment Scale Land Use and Forests of Australia (2018) Derived from 60 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 1 Conservation and natural environments - Non-forest Catchment Scale Lai Use of Australia - (2018) and Forests of Australia (2018) 20 12.5% 0.00 0.50 -0.250.25 0.75 1.00 1.25 Land use class **Total Vegetation Cover [%] Proportion of vegetation cover class in area** 88.5% 80 60 20 11.4% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected 0.0% of protected 11.5% of region (17,942 region (0 ha) ha) Area Area protected 100.0% of protected 88.5% of region (156,025 region (138,082 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. - 10 lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10**-**20 **National**


Australian Government


Ecosystem Research Infrastructure


Landcare


Programme

Conservation and natural environments timeseries











Conservation and natural environments non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Conservation and natural environments non forest timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%) 100 95 **---** 2003 90 85 2011 80 2013 **←** 2014 **→** 2015 75 × 2017 70-→ 2020 **→** 2021 **---** 2022 65

month





Conservation and natural environments Woodland forest

Land use and forest cover 1 Conservation and natural environments - Woodland forest

7200 700000 System 100000 System 1000000 System 10000000 System 1000000 System 100000 System 1000000 System 100000 System


Total Vegetation Cover [%]

% Area protected from water erosion (>70%)

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from

Catchment Scale Land

Use of Australia - (2018) and Forests of Australia (2018)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area 98.2% 80 - 98.2% 40 - 20 - 0.0% 0.0% 1.8% 0-30% 31%-50% 51%-70% 71%-100%

% Area protected from wind erosion (>50%)

Total Vegetation Cover class



















Conservation and natural environments Woodland forest timeseries










Agriculture

Land use and forest cover 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated

Total Vegetation Cover [%]

Catchment Scale
Land Use and Forests
of Australia (2018)
Derived from


Catchment Scale Lan Use of Australia -(2018) and Forests of Australia (2018)



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



















Agriculture timeseries











Cropping


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Cropping timeseries









Dalwallinu_(S) (721,000 ha and no data 1,373 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	721,000	99.9% 720,600	99.0% 713,775	65.7% 473,550	30.2% 217,975	8.3% 60,075	5.7% 40,750
Conservation and natural environments	156,025	100.0% 156,025	99.9% 155,850	88.5% 138,125	52.5% 81,875	3.9% 6,125	2.3% 3,600
Conservation and natural environments non forest	136,550	100.0% 136,550	99.9% 136,375	87.1% 119,000	53.4% 72,925	4.4% 6,075	2.6% 3,600
Conservation and natural environments Woodland forest	19,475	100.0% 19,475	100.0% 19,475	98.2% 19,125	46.0% 8,950	0.3% 50	0.0%
Agriculture	506,475	100.0% 506,425	98.8% 500,200	55.4% 280,475	16.9% 85,775	2.4% 12,275	1.6% 7,950
Cropping	506,325	100.0% 506,275	98.8% 500,050	55.4% 280,375	16.9% 85,750	2.4% 12,275	1.6% 7,950







