Total vegetation cover soil protection Region:LGA Dardanup_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: August 2021

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Vegetation Cover Aug 2021


Land use and forest cover

Derived from


pixel is from

is, red pixels are about 20%


lower than the mean of that




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















Conservation and natural environments




Conservation and natural environments timeseries








Conservation and natural environments Woodland forest





Total Vegetation Cover [%]


Area not protected 1.4% of region (25 ha) Area protected 98.6% of region (1,799 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






















Wind erosion historical monthly area protected (Total Veg Cov >50%)












Conservation and natural environments Forest (non woodland)





Total Vegetation Cover [%] Total Vegetation Cover [%] Tuelor Incolo Tuelor Inc





Proportion of vegetation cover class in area 100 - 100.0% 80 - 20 - 20 - 0.0% 0.0% 0.0% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class








Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline.


the map using baseline from 2001 to 2019.






Conservation and natural environments Forest (non woodland) timeseries









Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from Catchment Scale Land 2 Agriculture - Grazing - Irrigated 3 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]

is, red pixels

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

50.4% 50 · 47.4% 40 Area (%) 20 10 0


Proportion of each land class in area

Proportion of vegetation cover class in area


Land use class

3


2



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Agriculture timeseries








Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from -Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) -1 Agriculture - Grazing - Non forest


100.0% 100 80 40 20 0 Land use class

Proportion of each land class in area







Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Grazing timeseries






month









Grazing non forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Grazing non forest timeseries














Irrigation



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

100 95.6% 80 60 Area (%) 40 20 4.4% 0


Proportion of each land class in area


Proportion of vegetation cover class in area

Land use class



% Area protected from wind erosion (>50%)


















Irrigation timeseries













Production native forests and plantation forests


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
















Production native forests and plantation forests timeseries







Dardanup_(S) (52,425 ha and no data 113 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	52,425	100.0% 52,425	100.0% 52,425	98.8% 51,800	95.9% 50,275	58.8% 30,850	40.8% 21,375
Conservation and natural environments	10,200	100.0% 10,200	100.0% 10,200	99.8% 10,175	99.0% 10,100	91.9% 9,375	83.3% 8,500
Conservation and natural environments Woodland forest	1,825	100.0% 1,825	100.0% 1,825	98.6% 1,800	98.6% 1,800	89.0% 1,625	71.2% 1,300
Conservation and natural environments Forest (non woodland)	8,050	100.0% 8,050	100.0% 8,050	100.0% 8,050	100.0% 8,050	95.3% 7,675	89.1% 7,175
Agriculture	22,725	100.0% 22,725	100.0% 22,725	99.7% 22,650	96.1% 21,850	28.8% 6,550	4.2% 950
Grazing	11,450	100.0% 11,450	100.0% 11,450	99.8% 11,425	96.9% 11,100	38.0% 4,350	6.8% 775
Grazing non forest	11,450	100.0% 11,450	100.0% 11,450	99.8% 11,425	96.9% 11,100	38.0% 4,350	6.8% 775
Irrigation	11,275	100.0% 11,275	100.0% 11,275	99.6% 11,225	95.3% 10,750	19.5% 2,200	1.6% 175
Production native forests and plantation forests	17,900	100.0% 17,900	100.0% 17,900	100.0% 17,900	97.9% 17,525	81.8% 14,650	66.1% 11,825







