Total vegetation cover soil protection Region:LGA Dardanup (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: December 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Dec 2023

Land use and forest cover


Derived from




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





















Conservation and natural environments



Conservation and natural environments timeseries









Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Conservation and natural environments Woodland forest timeseries









Conservation and natural environments Forest (non woodland)





% Area protected from water erosion (>70%) Area not protected 0.3% of region (24 ha) Area protected 99.7% of region (8,051 ha)



% Area protected from wind erosion (>50%) Area protected 100.0% of region (8,075 ha) **Total Vegetation Cover Decile [%]** Deciles show where the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling.

0.0%

Total Vegetation Cover class

51%-70%

31%-50%

Proportion of vegetation cover class in area

100

80

40


20

0-30%

Area (%)

99.7%

71%-100%








pixel value lies in the

the map using baseline from 2001 to 2019.











Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from Catchment Scale Land 2 Agriculture - Grazing - Irrigated 3 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

the mean. That is, red pixels


are about 20% lower than the mean of that

using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]













Agriculture timeseries






─ 2014


→ 2015 → 2016 → 2017 → 2018


--- 2023





Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from -Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) -1 Agriculture - Grazing - Non forest











% Area protected from wind erosion (>50%)

Total Vegetation Cover class






Total Vegetation Cover Anomaly [%]


is, red pixels are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Grazing timeseries













Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














Grazing non forest timeseries







month









Irrigation



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]

is, red pixels

mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


100 95.6% 80 60 40 20 4.4% 0.50 0.75 1.00 -0.250.00 0.25 1.25 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]
















Irrigation timeseries













Production native forests and plantation forests


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


is, red pixels are about 20% lower than the mean of that

pixel. The mean




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Production native forests and plantation forests timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)







Dardanup_(S) (52,450 ha and no data 88 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	52,450	100.0% 52,450	100.0% 52,450	98.6% 51,725	96.9% 50,800	85.5% 44,850	49.0% 25,700
Conservation and natural environments	10,225	100.0% 10,225	100.0% 10,225	99.8% 10,200	99.3% 10,150	94.4% 9,650	55.3% 5,650
Conservation and natural environments Woodland forest	1,825	100.0% 1,825	100.0% 1,825	100.0% 1,825	100.0% 1,825	95.9% 1,750	46.6% 850
Conservation and natural environments Forest (non woodland)	8,075	100.0% 8,075	100.0% 8,075	99.7% 8,050	99.1% 8,000	94.1% 7,600	57.9% 4,675
Agriculture	22,725	100.0% 22,725	100.0% 22,725	99.7% 22,650	98.5% 22,375	84.9% 19,300	50.8% 11,550
Grazing	11,450	100.0% 11,450	100.0% 11,450	99.6% 11,400	98.5% 11,275	84.9% 9,725	46.3% 5,300
Grazing non forest	11,450	100.0% 11,450	100.0% 11,450	99.6% 11,400	98.5% 11,275	84.9% 9,725	46.3% 5,300
Irrigation	11,275	100.0% 11,275	100.0% 11,275	99.8% 11,250	98.4% 11,100	84.9% 9,575	55.4% 6,250
Production native forests and plantation forests	17,900	100.0% 17,900	100.0% 17,900	99.6% 17,825	97.2% 17,400	85.3% 15,275	46.5% 8,325







