Total vegetation cover soil protection Region:LGA Denmark_(S) WA

Date: August 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2021

Proportion of each land class in area







Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)







% Area protected from water erosion (>70%)

















Conservation and natural environments




Proportion of each land class in area


99.8% 100 80 Area (%) 60 40 20 0.1% 0.1% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from wind erosion (>50%)



% Area protected from water erosion (>70%)






Area not protected 0.2% of region (236 ha) protected 99.8% of region (117,988

12%200%

· 52°10'TOON


32010

0.30%






3



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

 100^{-1} 99 ---- above_70 **—** 10th **--** 50th 98 97 96 feb Jan Inu May War PQ1 month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)












Conservation and natural environments non forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)












Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)







Conservation and natural environments Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Conservation and natural environments Woodland forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)







% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)











Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.






-20

Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Historical monthly area protected (Total Veg Cov>80%)






Agriculture


Land use and forest cover 56.5% 50 40.6% Catchment Scale Land Use and Forests of Australia (2018) Derived from 40 1 Agriculture - Grazing - Non forest Area (%) 2 Agriculture - Grazing - Woodland forest 30 3 Agriculture - Grazing - Irrigated Catchment Scale 4 Agriculture - Cropping - Non-irrigated Use of Australia (2018) and Forests of Australia (2018) 5 Agriculture - Horticulture - Irrigated 20 10 2.6% 0.1% 0 1 2 3 4 5 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 99.8% 100 12/0/0 80 52% TON Area (%) 60 320050010 40 0-30% 20 · 0.2% 0.0% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class


Proportion of each land class in area

% Area protected from wind erosion (>50%)





% Area protected from water erosion (>70%)













Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

year




Wind erosion historical monthly area protected (Total Veg Cov >50%)




100.0 99.8 ---- above_70 **—** 10th 99.6 **——** 50th 90 99.4 99.2 99.0 2002001200200320020052002001200820092012012012012013201201520120120120120120120202020212022 feb 12r In May PQ1 War month tern Ecosystem Research Infrastructure Australian Government




Water erosion historical monthly area protected (Total Veg Cov>70%)













Ecosystem Research Infrastructure







Proportion of each land class in area















Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Grazing non forest



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





100.0% 100 80 Area (%) 60 40 20 · 0.0% 0.0% 0.0% 0 31%-50% 0-30% 51%-70% 71%-100% Total Vegetation Cover class

Proportion of vegetation cover class in area


% Area protected from wind erosion (>50%)



















Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100.0-99.8 <u>99.8</u> 99.6 ---- above_70 **—** 10th **——** 50th 99.4 99.2 99.0 98.8 May Jan 4eb PQ Inu In I Mar month tern Ecosystem Research Infrastructure Australian Government

2**3**

Water erosion historical monthly area protected (Total Veg Cov>70%)







Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




Cropping





% Area protected from water erosion (>70%)



99.7% 100 80 Area (%) 60 40 20 · 0.0% 0.3% 0.0% 0 0-30% 31%-50% 51%-70% 71%-100%

Proportion of vegetation cover class in area

% Area protected from wind erosion (>50%)


Area


ha)

protected 100.0% of


region (16,150


Total Vegetation Cover class













Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Cropping timeseries


100.0 99.8 <u>99.7</u> 99.6 --- above_70 **—** 10th **——** 50th ----- 2021 Aug 99.4 99.4 99.2 99.0 98.8 Jan 4eb May In PP 1st Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)












Production native forests and plantation forests




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)









29

Production native forests and plantation forests timeseries





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100.0 99.8 ---- above_70 **—** 10th 99.6 **--** 50th 99.4 99.2 99.0 4eb 12r May hill Wa1 PQ1 month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







Denmark_(S) (182,625 ha and no data 3,453 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	182,625	99.9% 182,500	99.8% 182,350	99.6% 181,900	98.9% 180,650	85.4% 156,050	67.6% 123,375
Conservation and natural environments	118,225	100.0% 118,200	99.9% 118,150	99.8% 118,000	99.5% 117,600	96.4% 114,000	84.7% 100,125
Conservation and natural environments non forest	13,150	99.8% 13,125	99.4% 13,075	98.5% 12,950	95.8% 12,600	85.0% 11,175	59.3% 7,800
Conservation and natural environments Woodland forest	14,175	100.0% 14,175	100.0% 14,175	100.0% 14,175	100.0% 14,175	96.3% 13,650	80.2% 11,375
Conservation and natural environments Forest (non woodland)	90,900	100.0% 90,900	100.0% 90,900	100.0% 90,875	99.9% 90,825	98.1% 89,175	89.1% 80,950
Agriculture	28,475	100.0% 28,475	100.0% 28,475	99.8% 28,425	98.0% 27,900	45.0% 12,800	12.8% 3,650
Grazing	11,550	100.0% 11,550	100.0% 11,550	100.0% 11,550	99.4% 11,475	47.8% 5,525	11.5% 1,325
Grazing non forest	11,500	100.0% 11,500	100.0% 11,500	100.0% 11,500	99.3% 11,425	47.6% 5,475	11.3% 1,300
Cropping	16,150	100.0% 16,150	100.0% 16,150	99.7% 16,100	96.9% 15,650	43.7% 7,050	14.4% 2,325
Production native forests and plantation forests	33,750	100.0% 33,750	100.0% 33,750	99.9% 33,725	99.6% 33,600	84.8% 28,625	57.1% 19,275

