### Total vegetation cover soil protection Region:LGA Denmark (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

**Date: December 2021** 

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Dec 2021**

### Land use and forest cover Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Land Use and Forests Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Scale 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests of Australia (2018) 8 Agriculture - Cropping - Non-irrigated 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses


### Proportion of each land class in area








### **Proportion of vegetation cover class in area**




### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**






















### **Conservation and natural environments**



























### **Conservation and natural environments timeseries**

—— 10th **--** 50th





### Wind erosion historical monthly area protected (Total Veg Cov >50%)



100.0 99.5 99.0 98.5 98.0 97.5 97.0 96.5

200200700700300400500620120082009201201201201301401501601701801902021202

% of the


96.0

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100.0 99.5 → 2001 2002 2003 99.0 → 2004 \_\_\_\_ 2005 --- above\_70 <del>----</del> 2007 98.5 **2021** Dec 98.0 <del>~</del> 2011 <del>----</del> 2013 97.5 **─** 2014 **→** 2015 97.0 **---** 2019 96.5 → 2020 2021 96.0 month National

Landcare

Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Conservation and natural environments non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) 1 Conservation and natural environments - Nonforest


## Total Vegetation Cover [%]

# Proportion of vegetation cover class in area 100 - 98.2% 80 - 98.2% 40 - 20 - 0.5% 1.1% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

## % Area protected from water erosion (>70%) Area not protected 1.8% of region (248 ha) Area protected 98.2% of region (13,576 ha)

















### **Conservation and natural environments non forest timeseries**







2014 2015 2016

<del>×</del> 2017

2018 2019 2020


**---** 2021






month


4ep





### **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) Australia (2018)



























### **Conservation and natural environments Woodland forest timeseries**













### **Conservation and natural environments Forest (non woodland)**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

# Proportion of vegetation cover class in area 100 - 99.9% 80 - 60 - 40 - 20 - 0.0% 0.0% 0.1% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class


































### **Agriculture**





### <u>56.5%</u> 50 40.6% 40 Area (%) 30 20 10 -Land use class


**Proportion of each land class in area** 














### % Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















### **Agriculture timeseries**









### **Grazing**




### **Proportion of each land class in area** 99.6% 100 -80 Area (%) 60 20 0.00 0.25 0.50 -0.250.75 1.00 1.25 Land use class












% Area protected from wind erosion (>50%)










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















### **Grazing timeseries**













### **Grazing non forest**

### Land use and forest cover




## Total Vegetation Cover [%]


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Grazing non forest timeseries**













### **Cropping**

### Land use and forest cover




## Total Vegetation Cover [%] Typic Jodo Ty


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]

### CSIRO














### **Cropping timeseries**














### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%] Tolar Roll To























### **Production native forests and plantation forests timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)







### Denmark\_(S) (183,100 ha and no data 2,978 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	183,100	100.0% 183,075	99.9% 182,925	99.6% 182,375	98.1% 179,625	83.9% 153,700	43.4% 79,500
Conservation and natural environments	118,850	100.0% 118,825	99.9% 118,750	99.7% 118,525	98.1% 116,600	87.7% 104,175	48.7% 57,900
Conservation and natural environments non forest	13,825	99.8% 13,800	99.3% 13,725	98.2% 13,575	91.7% 12,675	63.5% 8,775	21.5% 2,975
Conservation and natural environments Woodland forest	14,125	100.0% 14,125	100.0% 14,125	100.0% 14,125	99.1% 14,000	91.2% 12,875	34.7% 4,900
Conservation and natural environments Forest (non woodland)	90,900	100.0% 90,900	100.0% 90,900	99.9% 90,825	98.9% 89,925	90.8% 82,525	55.0% 50,025
Agriculture	28,500	100.0% 28,500	100.0% 28,500	99.8% 28,450	98.6% 28,100	70.6% 20,125	24.5% 6,975
Grazing	11,575	100.0% 11,575	100.0% 11,575	99.8% 11,550	98.5% 11,400	65.0% 7,525	21.2% 2,450
Grazing non forest	11,525	100.0% 11,525	100.0% 11,525	99.8% 11,500	98.5% 11,350	65.1% 7,500	21.0% 2,425
Cropping	16,150	100.0% 16,150	100.0% 16,150	99.8% 16,125	98.6% 15,925	74.8% 12,075	26.6% 4,300
Production native forests and plantation forests	33,725	100.0% 33,725	100.0% 33,725	99.8% 33,650	99.4% 33,525	85.3% 28,775	43.0% 14,500







