### Total vegetation cover soil protection Region:LGA Dundas (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Jul 2023**


### Proportion of each land class in area








# Total Vegetation Cover [%] \*\*Total Vegetation Cover [%]

### Proportion of vegetation cover class in area










2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Conservation and natural environments**


#### 50.8% 49.2% 50 Land use and forest cover 40 Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-woodland forest 30 Derived from Catchment Scale 3 Conservation and natural environments - Non-woodland forest Use of Australia (2018) and Forest 20 of Australia (2018 10 -0.50.5 1.0 2.5 0.0 1.5 2.0 Land use class





Proportion of each land class in area





# Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Conservation and natural environments timeseries**











### **Conservation and natural environments non forest**


### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]







# Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Conservation and natural environments non forest timeseries**











### **Conservation and natural environments Woodland forest**


#### Land use and forest cover







### 

**Total Vegetation Cover class** 





# Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Conservation and natural environments Woodland forest timeseries**











Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Agriculture**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Odd Australia (2018) Catchment Scale Use of Australia (2018) Catchment Scale Cat


### Proportion of each land class in area







### **Proportion of vegetation cover class in area**









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Agriculture timeseries**











### **Grazing**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)


#### Proportion of each land class in area







### **Proportion of vegetation cover class in area**









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Grazing timeseries**












### **Grazing non forest**


#### Land use and forest cover







### Proportion of vegetation cover class in area









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Grazing non forest timeseries**












### **Grazing Woodland forest**


### Land use and forest cover






### Proportion of vegetation cover class in area







# Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the manusing baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Grazing Woodland forest timeseries**









### Dundas\_(S) (9,155,725 ha and no data 126,556 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	9,155,725	99.7% 9,126,600	86.0% 7,876,775	53.2% 4,872,325	18.6% 1,705,325	1.2% 114,150	0.8% 75,625
Conservation and natural environments	5,190,550	99.6% 5,171,825	95.4% 4,951,775	68.2% 3,540,425	27.1% 1,404,575	0.9% 49,000	0.4% 23,275
Conservation and natural environments non forest	2,535,850	99.3% 2,517,575	91.2% 2,311,625	54.5% 1,381,775	17.7% 450,025	1.1% 29,025	0.8% 21,350
Conservation and natural environments Woodland forest	2,653,650	100.0% 2,653,200	99.5% 2,639,100	81.3% 2,157,600	35.9% 953,625	0.8% 19,975	0.1% 1,925
Agriculture	3,829,150	99.7% 3,819,575	73.2% 2,801,550	32.3% 1,237,750	5.9% 225,850	0.1% 4,375	0.0% 1,450
Grazing	3,829,150	99.7% 3,819,575	73.2% 2,801,550	32.3% 1,237,750	5.9% 225,850	0.1% 4,375	0.0% 1,450
Grazing non forest	3,323,325	99.7% 3,314,625	69.3% 2,301,575	24.1% 800,650	1.9% 63,350	0.1% 3,100	0.0% 1,375
Grazing Woodland forest	447,725	99.8% 446,850	98.7% 441,925	88.3% 395,325	32.6% 146,075	0.2% 800	0.0% 50







