Total vegetation cover soil protection Region:LGA Dundas (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: June 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jun 2024


Proportion of each land class in area








Total Vegetation Cover [%] Total Vegetation Cover [%] 32elo-10elo 32elo-10elo 0-30elo

Proportion of vegetation cover class in area










2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Conservation and natural environments


50.8% 49.2% 50 Land use and forest cover 40 Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-woodland forest 30 Derived from Catchment Scale 3 Conservation and natural environments - Non-woodland forest Use of Australia (2018) and Forest 20 of Australia (2018 10 -0.50.5 1.0 2.5 0.0 1.5 2.0 Land use class






Proportion of each land class in area





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries












Conservation and natural environments non forest


Land use and forest cover





Proportion of vegetation cover class in area 80 76.8% 70 60 50 Area (%) 30 22.0% 20 10 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the manusing baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












- 20


-20

Conservation and natural environments non forest timeseries












Conservation and natural environments Woodland forest


Land use and forest cover






Proportion of vegetation cover class in area







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Conservation and natural environments Woodland forest timeseries











Water erosion historical monthly area protected (Total Veg Cov>70%)

Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forest Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Australia (2018)


Proportion of each land class in area







Proportion of vegetation cover class in area









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Agriculture timeseries











Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest


Proportion of each land class in area







Proportion of vegetation cover class in area









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing timeseries












Grazing non forest


Land use and forest cover






Proportion of vegetation cover class in area







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the manusing baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing non forest timeseries












Grazing Woodland forest


Land use and forest cover







Proportion of vegetation cover class in area









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing Woodland forest timeseries









Dundas_(S) (9,188,500 ha and no data 93,781 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	9,188,500	100.0% 9,185,125	99.4% 9,134,625	80.7% 7,417,225	42.6% 3,911,650	3.0% 279,150	1.1% 105,225
Conservation and natural environments	5,210,550	100.0% 5,208,675	99.3% 5,174,950	83.0% 4,327,275	46.8% 2,437,025	3.3% 170,800	0.9% 49,050
Conservation and natural environments non forest	2,554,325	99.9% 2,552,900	98.9% 2,525,525	76.8% 1,962,375	41.8% 1,067,125	3.9% 99,750	1.5% 37,175
Conservation and natural environments Woodland forest	2,655,175	100.0% 2,654,725	99.7% 2,648,375	89.0% 2,363,850	51.6% 1,368,950	2.7% 70,975	0.4% 11,875
Agriculture	3,840,425	100.0% 3,839,750	99.6% 3,825,525	77.6% 2,981,150	36.2% 1,389,300	1.2% 44,625	0.1% 3,250
Grazing	3,840,425	100.0% 3,839,750	99.6% 3,825,525	77.6% 2,981,150	36.2% 1,389,300	1.2% 44,625	0.1% 3,250
Grazing non forest	3,334,400	100.0% 3,333,800	99.6% 3,322,525	75.8% 2,528,750	34.8% 1,161,725	1.0% 34,300	0.1% 2,350
Grazing Woodland forest	447,925	100.0% 447,850	99.3% 444,975	90.0% 403,100	46.3% 207,300	2.0% 8,825	0.2% 725







