Total vegetation cover soil protection Region:LGA Esperance (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: June 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jun 2024


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]

tern Ecosystem Research Infrastructure













Conservation and natural environments


Proportion of each land class in area Land use and forest cover 69.1% 70 60 50 Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 30.8% 30 20 10 1.0 -0.50.5 1.5 2.0 2.5 0.0 Land use class












Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Tologodo Tologodo


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Conservation and natural environments non forest timeseries












Conservation and natural environments Woodland forest


Catchment Scale Land Use and For each of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Derived from (2018) and Forests of Australia (2018)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments Woodland forest timeseries






month






Agriculture



Proportion of each land class in area 83.8% 80 70 60 Area (%) 04 30 20 16.0% 10 3.5 -0.50.0 0.5 1.0 1.5 2.0 2.5 3.0

Total Vegetation Cover [%] Typertupolo Stylertoolo Sty





2.1%

Total Vegetation Cover class

31%-50%


Land use class






51%-70%

71%-100%



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











10


0-30%




Agriculture timeseries










Grazing



98.7%

Proportion of vegetation cover class in area

1.0

Land use class

1.5


2.0


2.5

0.5


0.0

-0.5







% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



ıll||ı CSIRO











Grazing timeseries







Grazing non forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]


% Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 87.1% 80 60 20 11.1% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**















-20


Grazing non forest timeseries






Cropping

Land use and forest cover




Total Vegetation Cover [%] Tuelpholo Tuelp


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Cropping timeseries












Production native forests and plantation forests


Catchment Scale Land Use and Forgets of Australia (2018) Derived from Catchment Scale Use of Australia (2018) I Production native forests and plantation forests of Australia (2018)

Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Production native forests and plantation forests timeseries









Water erosion historical monthly area protected (Total Veg Cov>70%)

Esperance_(S) (4,416,050 ha and no data 61,850 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	4,416,050	99.8% 4,408,550	98.9% 4,367,750	90.5% 3,996,125	69.7% 3,076,900	19.3% 851,025	9.6% 423,125
Conservation and natural environments	3,034,175	99.9% 3,032,050	99.5% 3,018,600	93.7% 2,841,975	73.1% 2,217,575	13.2% 401,600	4.8% 145,850
Conservation and natural environments non forest	920,150	99.8% 918,625	99.2% 912,600	93.9% 864,000	79.5% 731,225	20.8% 191,825	8.2% 75,875
Conservation and natural environments Woodland forest	2,113,375	100.0% 2,112,775	99.6% 2,105,350	93.6% 1,977,350	70.3% 1,485,800	9.9% 209,575	3.3% 69,900
Agriculture	1,192,075	99.6% 1,187,800	97.6% 1,162,900	82.3% 980,625	59.3% 706,350	28.3% 337,800	16.3% 194,900
Grazing	193,125	99.7% 192,525	98.2% 189,650	87.1% 168,250	66.5% 128,475	33.6% 64,950	18.9% 36,550
Grazing non forest	190,625	99.7% 190,050	98.2% 187,175	87.1% 165,950	66.5% 126,725	33.6% 64,000	18.9% 36,050
Cropping	998,950	99.6% 995,275	97.4% 973,250	81.3% 812,375	57.8% 577,875	27.3% 272,850	15.9% 158,350
Production native forests and plantation forests	56,025	99.7% 55,850	98.1% 54,975	90.5% 50,725	77.1% 43,175	43.7% 24,475	23.4% 13,125







