LGA Gingin_(S) (WA) - Vegetation cover soil protection report Aug 2019

This report provides information about vegetation covering the soil surface for a region during a single month with comparison to previous years. Vegetation cover indicates where soil is likely to be protected from wind and or water (hillslope) erosion. Results are shown for the whole region (polygon) and also separated by land use and tree cover. Different land uses are likely to have different cover patterns and targets. Reporting is most reliable with less than 20% tree cover.

Gingin_(S)

• Context

o Map: Land use and forest cover

- o Chart: Land use and forest cover area
- Total vegetation cover for this month

 Map: vegetation cover classified into 4 classes
 Chart: vegetation cover area classified into 4 classes
- Areas protected from erosion for the month

o Map: wind erosion protection (>50% cover)

- o Map: water erosion protection (>70% cover)
- Comparison with previous years
 - o Map: anomaly compare this month to the average cover from the same month in previous years
 - o Map: deciles rank this month against the same month in previous years
- Time series
 - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines)
 - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines).
 - o Rainfall: millimetres rainfall each month (black lines)
- Time series stacked by year
 - o Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month in the archive (orange lines) in case of 5th percentile is less than 80i
 - o Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month of the archive (blue lines). in case of 5th percentile is less than 80
- Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:
 - o the percentage area with pixels greater than 80% total clover
 - o the percentage area with pixels greater than 90% total clover
 - o the percentage area with pixels greater than 95% total clover

The following pages repeat the above sequence for each land use and forest cover class. For example

- All agricultural lands, that is grazing, cropping plus Horticulture (depending on what land use is present)
- Grazing lands by forest classes if present
- Cropping lands
- Irrigation lands
- - Protected areas by forest classes if present
 - Explanatory notes:

This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool. The report is based on an analysis of 500 metre pixels. Pixels with greater than or equal to 50% vegetation cover are generally considered to be protected from or have reduced soil loss by wind erosion, and pixels with greater than or equal to 70% vegetation cover are generally considered to also be protected from or have reduced soil loss from water (hillslope) erosion. Report used baseline from 2001 to 2019 for each month to generate anomalies and deciles. And it used threshold of 1% to create land use forest cover reports. Higher cover thresholds may be required for erosion protection in some regions. This report will be less applicable in areas with sparse forest (20-50% tree cover) or dense forest (> 50% tree cover). Therefore land use classes are divided by tree cover: 1) No forest is when there is less than 20% tree cover 2) Sparse forest, is when there is less than 20 to 50 % tree cover 3) Dense forest is greater than 50% tree cover

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2019


Land use and forest cover

Proportion of each land class in area

Landuse map of area based on 2015 catchment scale landuse and Australia's National Forest Inventory, where no forest is < 20% tree cover, sparse is 20 to 50% and dense > 50% tree cover.




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





35 33.3% 30 28.2% 26.0% 25 °²⁰ ⊗ Area 15 10 5 0.0%0.4%0. 0.7% 0 3 5 10 11 12 13

6

1

2


4

Proportion of vegetation cover class in area


7 Land use class

8


9



% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Anomaly [%]

10 0 -10

-20

- 20


region (305,321


ha)


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Planning, Industry & Environment


2









Conservation and natural environments



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




12%100% 5201070010 320050010 · 0.30%


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]





Total Vegetation Cover Anomaly [%]



0 -10

-20

- 20


10

pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



year


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-98 96 94 92 90 88 86 84 feb Jan In May PQ' Mai month ERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)

Programn






Conservation and natural environments non forest


Landuse map of area based on 2015 catchment scale landuse and Australia's National Forest Inventory, where no forest is < Conservation and natural environments - Non-forest 20% tree cover, sparse is 20 to 50% -and dense > 50% tree

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



10 0 -10

-20

- 20

12% 10°10°%

52°10'70°10

320050010

· 0.30%


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

cover.

Conservation and natural environments non forest timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)






Conservation and natural environments Woodland forest


Landuse map of area based on 2015 catchment scale landuse and Australia's National Forest Inventory, where no forest is < 20% tree cover, 208 tree cover, and dense > 50% tree

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



- 10 - 0 - -10

-20

- 20

12% 200%

52%70%


32°1050°10

· 0.30%


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

---- above_70


—— 10th

—— 50th




— 2001 --- 2002 ---- 2003 **---** 2004 ____ 2005 **___** 2006 ---- 2007 2008 ---- 2009 **—** 2010 2011 **→** 2014 <mark>→</mark> 2015 --- 2016 <u>→</u> 2017 **→** 2018 ---- 2019 OČ 404 AUG Sep Dec


Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.

Area not protected 7.7% of region (9,563 ha) Area protected . 92.3% of region (114,636 ha)

- 20

10

0

-10

-20


12%100%

52°10'70°10

32005000


· 0.30%

Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the

mean of that pixel. The mean




---- above_70

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Grazing

12% 200%

52°10'70°10

32°1050°10

0.30%


- 20

10


0

-10


-20




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline


the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Grazing timeseries


Wind erosion historical monthly area protected (Total Veg Cov >50%)


---- above_70

— 10th

100-95⁻ 90 85 80 75 70 65 Par feb In way PQ1 1¹1 Mal month ERN (1990) CSIRC Australian Government







Grazing non forest

12%100%

52°10'70°10

32005000

0.30%

region (7,048 ha)

protected 93.4% of

region (99,751

- 20


10

0


-20

Area


ha)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]








Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019. -10

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






---- above_70


—— 2019 Aug

— 10th

—— 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Grazing non forest timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-95⁻ 90 85 80 75 70-65 Jan feb In way PQ1 1 ju Mal month ERN (III) CSIRC Australian Government







Cropping

12% 200%

· 52°10'10°10




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)


is, red pixels




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Cropping timeseries


Wind erosion historical monthly area protected (Total Veg Cov >50%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)






Irrigation

12º10-20010


· 52% 70%

329050010

0.30%



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)

Anomaly show how many percetage points each pixel is from the mean That

the mean. That


is, red pixels

mean of that pixel. The mean


is only for the month of the map

using baseline from 2001 to 2019.


are about 20% lower than the




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)














Irrigation timeseries





Production native forests and plantation forests



12% 200%


52% 70%

32005000

· 0.30%

Land use and forest cover

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)

Anomaly show how many percetage points each pixel is from the mean That

the mean. That

is, red pixels

are about 20%


lower than the

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


mean of that




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)







Gingin_(S) (318,375 ha and no data 2,437 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	318,375	100.0% 318,375	99.8% 317,725	95.9% 305,275	80.4% 255,900	21.2% 67,400	1.6% 5,075
Conservation and natural environments	174,787	100.0% 174,787	100.0% 174,762	98.5% 172,100	88.7% 154,998	27.1% 47,338	1.0% 1,682
Conservation and natural environments non forest	89,781	100.0% 89,781	100.0% 89,756	97.7% 87,676	85.3% 76,589	28.0% 25,166	1.2% 1,116
Conservation and natural environments Woodland forest	82,777	100.0% 82,777	100.0% 82,777	99.3% 82,206	92.2% 76,293	26.4% 21,886	0.7% 571
Agriculture	130,215	100.0% 130,215	99.5% 129,560	92.3% 120,124	70.8% 92,131	14.7% 19,133	2.4% 3,092
Grazing	107,292	100.0% 107,292	99.5% 106,747	93.2% 100,010	72.4% 77,670	15.8% 16,965	2.6% 2,823
Grazing non forest	106,018	100.0% 106,018	99.5% 105,472	93.4% 98,995	72.8% 77,181	15.9% 16,850	2.6% 2,804
Cropping	6,049	100.0% 6,049	100.0% 6,049	96.7% 5,849	79.8% 4,824	12.4% 749	0.8% 49
Irrigation	9,551	100.0% 9,551	99.2% 9,477	78.9% 7,532	46.9% 4,480	3.6% 344	0.5% 49
Production native forests and plantation forests	11,779	100.0% 11,779	100.0% 11,779	95.2% 11,211	68.8% 8,100	7.5% 889	1.5% 172





