Total vegetation cover soil protection Region:LGA Gingin_(S) WA

Date: May 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover May 2021


Land use and forest cover

Proportion of each land class in area







Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






35 <u>33</u>.3% 30 28.2% 26.0% 25 (% 20 Area 15 10 5 0.0%0.4%0. 0.7%0 2 3 10 11 12 13 1 4 5 6 8 9 7 Land use class


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




10 0 -10

20

Deciles show where the Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


-20


Total Vegetation Cover Decile [%]






2








Conservation and natural environments


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Land use and forest cover

Total Vegetation Cover [%]


Proportion of each land class in area




1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




12%100%


% Area protected from water erosion (>70%)



5200000 32°1050°10 0.30%


Total Vegetation Cover Decile [%]






Area not

Total Vegetation Cover Anomaly [%]





- -20


20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Conservation and natural environments - Non-forest Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



- 10 0 -10

- 20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.




-20




8

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Conservation and natural environments non forest timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)











Conservation and natural environments Woodland forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)












% Area protected from wind erosion (>50%)






Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



- 10 · 0 -10-20


- 20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




year


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100-98 96 94 92 90 88 86 84 feb Jan hu May Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)







Agriculture


Land use and forest cover


Proportion of each land class in area






% Area protected from water erosion (>70%)








<u>5.8</u>%


8

6

Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




10 0 -10- -20


20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Agriculture timeseries








Grazing


Land use and forest cover Proportion of each land class in area 98.6% 100 80 -60 Area (%) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 40 20 1.3% 0.1% 0 -1 2 3 Land use class **Total Vegetation Cover [%]** Proportion of vegetation cover class in area 12%-200% 75.7% 70 60 -52°1070010 50 Area (%) - 05 320050010 30 -22.4% 0.30% 20 10 -1.9% 0.0% 0 -51%-70% 0-30% 31%-50% 71%-100% Total Vegetation Cover class

% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




- -20








Grazing timeseries






Grazing non forest

12%100%


· 52°10'70°10

32°10'50°10


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20%


lower than the mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





20





Grazing non forest timeseries






Cropping

12% 200%


· 52°10°10°10

3201050010

0.30%



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)

is, red pixels


are about 20%

lower than the


mean of that pixel. The mean




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Cropping timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)







Australian Government

Programm

Ecosystem Research Infrastructure

Irrigation

12% 200%

· 52% 70%

32°1050010

0.30%

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

the mean. That


is, red pixels

mean of that pixel. The mean


is only for the month of the map

using baseline from 2001 to 2019.


are about 20% lower than the




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)










Irrigation timeseries


Water erosion historical monthly area protected (Total Veg Cov>70%)







Production native forests and plantation forests



12%-100%


52°10°10°10

32005000


0.30%

Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




- Fer

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Gingin_(S) (318,125 ha and no data 2,687 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and forest cover Class | area(ha) | above_30 | above_50 | above_70 | above_80 | above_90 | above_95 |
|--|----------|-------------------|------------------|------------------|------------------|-----------------|---------------|
| Entire region | 318,125 | 100.0% 317,975 | 98.4% 313,125 | 84.3% 268,275 | 57.4% 182,550 | 16.3% 51,900 | 2.7% 8,675 |
| Conservation and natural environments | 173,875 | 99.9% 173,775 | 98.6% 171,500 | 91.9% 159,825 | 72.6% 126,150 | 24.9% 43,375 | 3.9% 6,700 |
| Conservation and natural environments non forest | 88,750 | 99.9% 88,650 | 98.6% 87,550 | 91.5% 81,225 | 70.1% 62,175 | 25.2% 22,400 | 6.0% 5,300 |
| Conservation and natural environments Woodland forest | 82,900 | 100.0% 82,900 | 98.6% 81,725 | 92.3% 76,500 | 75.0% 62,150 | 24.7% 20,500 | 1.7% 1,400 |
| Agriculture | 124,025 | 100.0% 123,975 | 98.0% 121,600 | 73.9% 91,675 | 38.5% 47,725 | 6.0% 7,500 | 1.3% 1,650 |
| Grazing | 108,125 | 100.0% 108,075 | 98.1% 106,050 | 75.7% 81,825 | 40.1% 43,325 | 6.6% 7,175 | 1.4% 1,550 |
| Grazing non forest | 106,625 | 100.0% 106,575 | 98.2% 104,675 | 76.4% 81,425 | 40.6% 43,275 | 6.7% 7,175 | 1.5% 1,550 |
| Cropping | 6,050 | 100.0% 6,050 | 97.9% 5,925 | 69.4% 4,200 | 37.2% 2,250 | 3.7% 225 | 1.2% 75 |
| Irrigation | 9,700 | 100.0% 9,700 | 97.7% 9,475 | 57.5% 5,575 | 21.9% 2,125 | 1.0% 100 | 0.3% 25 |
| Production native forests and plantation forests | 11,925 | 100.0% 11,925 | 98.3% 11,725 | 80.9% 9,650 | 40.3% 4,800 | 3.1% 375 | 0.6% 75 |

