# Total vegetation cover soil protection Region:LGA Gingin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: February 2022** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region.

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

Total vegetation Cover:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











# **Vegetation Cover Feb 2022**


### Land use and forest cover




### **Proportion of each land class in area**



# **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 



# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**

pixel is from



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















# **Conservation and natural environments**

### **Land use and forest cover Proportion of each land class in area** 51.4% 50 47.3% 40 Catchment Scale Land Use and Forests of Australia (2018) ${\bf 1}$ Conservation and natural environments - Nonforest Area (%) 0 Derived from Catchment Scale Land 2 Conservation and natural environments – Woodland forest Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 20 10 0.5 0.0 -0.51.0 1.5 2.0 2.5 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 94.3% 80 20 0.0%0-30% 71%-100% 31%-50% 51%-70% **Total Vegetation Cover class** % Area protected from wind erosion (>50%) % Area protected from water erosion (>70%) Area not protected 5.7% of Area not protected 0.0% of region (9,937 ha) region (0 ha) Area Area protected 100.0% of protected 94.3% of region (174,350 region (164,412 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from the mean. That Deciles show where the - 10 pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the in the lowest 10% of records for that month of mean of that pixel. The mean is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10













**-**20


# **Conservation and natural environments timeseries**












Water erosion historical monthly area protected (Total Veg Cov>70%)











# **Conservation and natural environments non forest**


### **Land use and forest cover**



### **Total Vegetation Cover [%]**




# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


















# Conservation and natural environments non forest timeseries
















# **Conservation and natural environments Woodland forest**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Tulor Judolo Tu


# % Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















# **Conservation and natural environments Woodland forest timeseries**











# Water erosion historical monthly area protected (Total Veg Cov>70%) 100 <del>\_\_\_\_</del> 2001 98 2003 96 → 2006 <del>----</del> 2007 94 2008 2009 2011 92 2013 <del>←</del> 2014 90 **→** 2015 88 2019 → 2020 86 **2021 ---** 2022 84 month **National** Landcare **Ecosystem Research Infrastructure**




# **Agriculture**

# **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from Catchment Scale Land 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests of Australia (2018) 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated




# % Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 


is, red pixels

mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


# **Proportion of each land class in area**




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 
















# **Agriculture timeseries**














# Grazing




# Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














# **Grazing timeseries**













# **Grazing non forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




# Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


















# **Grazing non forest timeseries**













# **Cropping**


### **Land use and forest cover**



### **Total Vegetation Cover [%]**




# % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**

is, red pixels




Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are
in the lowest 10% of
records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


















# **Cropping timeseries**














# Irrigation




# Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 














# **Irrigation timeseries**







month

Water erosion historical monthly area protected (Total Veg Cov>70%)









# **Production native forests and plantation forests**


# **Land use and forest cover**



### **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**

is, red pixels


are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
















# **Production native forests and plantation forests timeseries**







month

Water erosion historical monthly area protected (Total Veg Cov>70%)







# Gingin\_(S) (318,800 ha and no data 2,012 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

| Land use and<br>forest cover<br>Class                          | area(ha) | above_30          | above_50         | above_70         | above_80         | above_90        | above_95       |
|--|----------|-------------------|------------------|------------------|------------------|-----------------|----------------|
| Entire region  | 318,800  | 100.0%<br>318,800 | 99.7%<br>317,725 | 90.7%<br>289,150 | 66.8%<br>212,800 | 21.0%<br>66,875 | 3.5%<br>11,025 |
| Conservation and natural environments                          | 174,350  | 100.0%<br>174,350 | 99.6%<br>173,625 | 94.3%<br>164,325 | 76.0%<br>132,475 | 24.5%<br>42,800 | 1.2%<br>2,175  |
| Conservation and natural environments non forest               | 88,825   | 100.0%<br>88,825  | 99.7%<br>88,600  | 94.9%<br>84,275  | 74.4%<br>66,125  | 24.0%<br>21,300 | 1.6%<br>1,425  |
| Conservation and<br>natural<br>environments<br>Woodland forest | 83,300   | 100.0%<br>83,300  | 99.4%<br>82,800  | 93.4%<br>77,825  | 77.3%<br>64,425  | 25.4%<br>21,175 | 0.9%<br>725    |
| Agriculture  | 124,200  | 100.0%<br>124,200 | 99.7%<br>123,850 | 85.5%<br>106,175 | 55.9%<br>69,375  | 17.8%<br>22,075 | 6.8%<br>8,475  |
| Grazing  | 108,300  | 100.0%<br>108,300 | 99.8%<br>108,075 | 88.3%<br>95,650  | 59.2%<br>64,150  | 19.6%<br>21,225 | 7.7%<br>8,325  |
| Grazing non<br>forest  | 106,800  | 100.0%<br>106,800 | 99.8%<br>106,575 | 88.5%<br>94,500  | 59.9%<br>64,000  | 19.9%<br>21,200 | 7.8%<br>8,300  |
| Cropping   | 6,050    | 100.0%<br>6,050   | 99.2%<br>6,000   | 77.7%<br>4,700   | 43.8%<br>2,650   | 9.5%<br>575     | 1.7%<br>100    |
| Irrigation   | 9,700    | 100.0%<br>9,700   | 99.2%<br>9,625   | 58.8%<br>5,700   | 26.3%<br>2,550   | 2.8%<br>275     | 0.5%<br>50     |
| Production native<br>forests and<br>plantation<br>forests      | 11,925   | 100.0%<br>11,925  | 100.0%<br>11,925 | 93.1%<br>11,100  | 51.2%<br>6,100   | 7.1%<br>850     | 0.8%<br>100    |







