### Total vegetation cover soil protection Region:LGA Gingin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: January 2022** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Jan 2022**


### **Land use and forest cover**




### **Proportion of each land class in area**




### **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 



### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### **Total Vegetation Cover Anomaly [%]**

pixel is from


is, red pixels are about 20% lower than the

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**

















### **Conservation and natural environments**

### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) ${\bf 1}$ Conservation and natural environments - Nonforest Area (%) 0 Derived from Catchment Scale Land 2 Conservation and natural environments – Woodland forest Use of Australia 3 Conservation and natural environments - Non-woodland forest (2018) and Forests of Australia (2018) **Total Vegetation Cover [%]**

### **Proportion of each land class in area** 51.4% 47.3%


50

40

20

10

-0.5



Proportion of vegetation cover class in area

1.0

Land use class


1.5

2.0


2.5

0.5


0.0




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 













### **Conservation and natural environments timeseries**







→ 2015 → 2016


2017 --- 2018 --- 2019

2020 2021 2022






month




### **Conservation and natural environments non forest**


### **Land use and forest cover**



### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 


is, red pixels

mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 














### **Conservation and natural environments non forest timeseries**










### Water erosion historical monthly area protected (Total Veg Cov>70%) 100 <del>\_\_\_\_</del> 2001 **---** 2003 \_\_\_\_ 2005 → 2006 <del>----</del> 2007 2008 2009 2010 90 2011 2013 <del>←</del> 2014 **→** 2015 85 → 2017 → 2018 → 2020 80 2021 **---** 2022 month National Landcare Ecosystem Research Infrastructure



### **Conservation and natural environments Woodland forest**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) (2018) and Forests of Australia (2018)

# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

% Area protected from water erosion (>70%)


Area not protected 6.9% of region (5,747 ha)


Area protected 93.1% of region (77,552 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 93.1% 93.1% 40 20 0-30% 31%-50% 51%-70% Total Vegetation Cover class
















### **Conservation and natural environments Woodland forest timeseries**



### Wind erosion historical monthly area protected (Total Veg Cov >50%)






### 100 <del>\_\_\_\_</del> 2001 98 2003 96 → 2006 <del>----</del> 2007 94 2008 2009 → 2010 2011 92 2013 **─** 2014 90 **→** 2015 <del>×</del> 2017 88 2019 → 2020 86 **2021 ---** 2022 84 month

National Landcare

Water erosion historical monthly area protected (Total Veg Cov>70%)


**Ecosystem Research Infrastructure** 




### **Agriculture**

### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from Catchment Scale Land 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests of Australia (2018) 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated

### **Total Vegetation Cover [%]**



**Proportion of each land class in area** 





Proportion of vegetation cover class in area

### 86.1% 80 60 20 13.6% 0.0%0.3% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**

### % Area protected from water erosion (>70%)

% Area protected from wind erosion (>50%)






### **Total Vegetation Cover Anomaly [%]**


is, red pixels are about 20% lower than the

mean of that

using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















### **Agriculture timeseries**














### Grazing




### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 














### **Grazing timeseries**













### **Grazing non forest**


### **Land use and forest cover**



### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**

lower than the mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**
















### **Grazing non forest timeseries**













### **Cropping**


### **Land use and forest cover**



### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)



### **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are
in the lowest 10% of
records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**
















### **Cropping timeseries**














### Irrigation




### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



























### **Production native forests and plantation forests**

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Production native forests and plantation forests of Australia (2018)


# Total Vegetation Cover [%]


### Area not protected 8.4% of region (1,001 ha) Area protected 91.6% of region (10,923 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 91.6% 90.6% 40 - 20 - 8.2% 0-30% 31%-50% Total Vegetation Cover class

















### **Production native forests and plantation forests timeseries**










Water erosion historical monthly area protected (Total Veg Cov>70%)



### Gingin\_(S) (318,750 ha and no data 2,062 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	318,750	100.0% 318,700	99.6% 317,425	90.4% 288,150	63.4% 202,125	14.3% 45,550	2.6% 8,400
Conservation and natural environments	174,250	100.0% 174,225	99.5% 173,400	93.4% 162,750	70.7% 123,200	13.7% 23,825	0.5% 950
Conservation and natural environments non forest	88,725	100.0% 88,725	99.7% 88,450	93.5% 83,000	68.7% 60,950	14.6% 12,975	0.9% 800
Conservation and natural environments Woodland forest	83,300	100.0% 83,275	99.3% 82,725	93.1% 77,550	72.6% 60,475	12.9% 10,725	0.2% 150
Agriculture	124,200	100.0% 124,200	99.7% 123,850	86.1% 106,900	55.7% 69,150	16.0% 19,900	5.8% 7,150
Grazing	108,300	100.0% 108,300	99.9% 108,225	89.2% 96,550	59.4% 64,300	17.7% 19,200	6.5% 7,075
Grazing non forest	106,800	100.0% 106,800	99.9% 106,725	89.3% 95,375	60.0% 64,050	18.0% 19,175	6.6% 7,050
Cropping	6,050	100.0% 6,050	99.6% 6,025	78.1% 4,725	44.2% 2,675	9.1% 550	1.2% 75
Irrigation	9,700	100.0% 9,700	97.4% 9,450	56.7% 5,500	21.9% 2,125	1.5% 150	0.0% 0
Production native forests and plantation forests	11,925	100.0% 11,925	99.8% 11,900	91.6% 10,925	44.0% 5,250	6.1% 725	1.3% 150







