Total vegetation cover soil protection Region:LGA Gingin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2022

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jul 2022


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


pixel is from

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Conservation and natural environments

Land use and forest cover Proportion of each land class in area 51.4% 50 47.3% 40 Catchment Scale Land Use and Forests of Australia (2018) ${\bf 1}$ Conservation and natural environments - Nonforest € 30 Derived from Catchment Scale Land 2 Conservation and natural environments - Woodland Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 20 10 0.0 0.5 -0.51.0 1.5 2.0 2.5 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 100 97.9% 80 Area (%) 20 0.0%0-30% 71%-100% 31%-50% 51%-70% **Total Vegetation Cover class** % Area protected from wind erosion (>50%) % Area protected from water erosion (>70%) Area not protected 2.1% of Area not protected 0.0% of region (3,662 ha) region (0 ha) Area Area protected 100.0% of protected 97.9% of region (170,737 region (174,400 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from the mean. That Deciles show where the - 10 pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are is, red pixels are about 20% lower than the in the lowest 10% of records for that month of mean of that pixel. The mean is only for the month of the map the map using baseline from 2001 to 2019. using baseline from 2001 to 2019. -10 **-**20 **National**


Australian Government


Ecosystem Research Infrastructure

Landcare


Programme


Conservation and natural environments timeseries






month









Conservation and natural environments non forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Conservation and natural environments - Nonforest Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Conservation and natural environments non forest timeseries






month









Conservation and natural environments Woodland forest


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Conservation and natural environments - Woodland Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


% Area protected from water erosion (>70%)


























Conservation and natural environments Woodland forest timeseries






month








Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from Catchment Scale Land 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests of Australia (2018) 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated

80 60 Area (%) 20


86.0%

Proportion of each land class in area




Proportion of vegetation cover class in area


Land use class



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


is, red pixels

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]
















Agriculture timeseries













Grazing

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



lower than the mean of that














Grazing timeseries













Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]


















Grazing non forest timeseries













Cropping


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


is, red pixels

are about 20%




Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are
in the lowest 10% of
records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]
















Cropping timeseries














Irrigation



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


pixel is from

is, red pixels




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]
























Water erosion historical monthly area protected (Total Veg Cov>70%)




Production native forests and plantation forests


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


Area not protected 4.2% of region (500 ha) Area protected 95.8% of region (11,424 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Production native forests and plantation forests timeseries







month

Water erosion historical monthly area protected (Total Veg Cov>70%)







Gingin_(S) (318,900 ha and no data 1,912 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	318,900	100.0% 318,900	99.7% 318,075	96.3% 307,125	80.6% 257,025	23.1% 73,650	3.1% 9,850
Conservation and natural environments	174,400	100.0% 174,400	99.7% 173,900	97.9% 170,800	87.9% 153,225	30.9% 53,825	3.3% 5,725
Conservation and natural environments non forest	88,925	100.0% 88,925	99.8% 88,750	98.0% 87,175	85.3% 75,825	27.4% 24,325	3.1% 2,750
Conservation and natural environments Woodland forest	83,250	100.0% 83,250	99.6% 82,925	97.8% 81,400	90.5% 75,300	34.5% 28,700	3.5% 2,925
Agriculture	124,200	100.0% 124,200	99.8% 123,950	94.0% 116,750	71.9% 89,325	13.9% 17,225	2.6% 3,250
Grazing	108,300	100.0% 108,300	99.9% 108,200	95.0% 102,875	73.6% 79,750	14.4% 15,600	2.7% 2,875
Grazing non forest	106,800	100.0% 106,800	99.9% 106,700	94.9% 101,375	73.7% 78,675	14.6% 15,600	2.7% 2,875
Cropping	6,050	100.0% 6,050	100.0% 6,050	94.2% 5,700	68.6% 4,150	10.7% 650	2.5% 150
Irrigation	9,700	100.0% 9,700	98.5% 9,550	83.0% 8,050	54.9% 5,325	9.3% 900	2.3% 225
Production native forests and plantation forests	11,925	100.0% 11,925	99.8% 11,900	95.8% 11,425	70.0% 8,350	8.8% 1,050	2.5% 300







