Total vegetation cover soil protection Region:LGA Gingin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: April 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Apr 2025


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

pixel is from



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]




















Conservation and natural environments





Conservation and natural environments timeseries
















Conservation and natural environments non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]





is, red pixels are about 20% lower than the mean of that














Conservation and natural environments non forest timeseries













Conservation and natural environments Woodland forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

80 - 94.2% 80 - 60 - 20 - 0.0% 0.4%

31%-50%

0-30%

% Area protected from wind erosion (>50%)


Area not protected 0.0% of region (0 ha)

Area protected 100.0% of region (83,300 ha)

51%-70%

Total Vegetation Cover class

71%-100%













Conservation and natural environments Woodland forest timeseries








month

97.0

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest Derived from Catchment Scale Land 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated Use of Australia 6 Agriculture - Cropping - Irrigated (2018) and Forests 7 Agriculture - Horticulture - Non-irrigated of Australia (2018) 8 Agriculture - Horticulture - Irrigated


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]


















Agriculture timeseries














Grazing




98.6% 100 -80 -40 20 0.0 0.5 1.0 -0.52.5 1.5 2.0 Land use class


Proportion of each land class in area










% Area protected from wind erosion (>50%)






Total Vegetation Cover Decile [%]




















Grazing timeseries













Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]
















Grazing non forest timeseries













Cropping


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]


is, red pixels

are about 20%



Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are
in the lowest 10% of
records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]
















Cropping timeseries














Irrigation



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Total Vegetation Cover Anomaly [%]

is, red pixels

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

74.5% 70 60 -50 Area (%) 40 30 24.7% 20 10

Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class

1.5


2.0

2.5


0.0

0.5


-0.5



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



























Production native forests and plantation forests


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


Area not protected 13.6% of region (1,622 ha) Area protected 86.4% of region (10,303 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Production native forests and plantation forests timeseries





month





Gingin_(S) (317,975 ha and no data 2,837 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	317,975	99.7% 316,975	97.9% 311,300	84.2% 267,775	60.1% 191,150	16.2% 51,475	3.4% 10,900
Conservation and natural environments	173,525	99.4% 172,550	97.3% 168,925	88.6% 153,750	71.0% 123,225	19.7% 34,175	2.7% 4,650
Conservation and natural environments non forest	88,000	98.9% 87,075	95.2% 83,750	83.0% 73,075	63.2% 55,650	14.6% 12,825	2.2% 1,975
Conservation and natural environments Woodland forest	83,300	99.9% 83,250	99.6% 82,950	94.2% 78,475	78.7% 65,550	25.1% 20,875	3.2% 2,625
Agriculture	124,200	100.0% 124,175	98.4% 122,225	78.1% 97,050	47.0% 58,400	12.0% 14,900	4.4% 5,475
Grazing	108,300	100.0% 108,275	98.6% 106,750	79.4% 86,000	48.5% 52,525	12.8% 13,825	4.8% 5,150
Grazing non forest	106,800	100.0% 106,775	98.5% 105,250	79.6% 85,050	48.9% 52,175	12.9% 13,775	4.8% 5,125
Cropping	6,050	100.0% 6,050	97.9% 5,925	79.8% 4,825	52.5% 3,175	12.4% 750	4.1% 250
Irrigation	9,700	100.0% 9,700	96.9% 9,400	63.4% 6,150	27.6% 2,675	3.4% 325	0.8% 75
Production native forests and plantation forests	11,925	100.0% 11,925	99.6% 11,875	86.4% 10,300	47.8% 5,700	10.5% 1,250	1.9% 225







