## Total vegetation cover soil protection Region:LGA Gnowangerup\_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



## **Vegetation Cover Feb 2025**

#### Land use and forest cover

#### Proportion of each land class in area




120/02/00/

52010010010

320/0500/0


0.30%

#### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)







#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



-10 -20

Deciles show where the

pixel value lies in the record, from highest to lowest, for that month.

That is, red pixels are

in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

· 20

10

0

**Total Vegetation Cover Decile [%]** 





many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


of Australia (2018)

(2018) and Forests

of Australia (2018)

Derived from

Use of Australia




## **Conservation and natural environments**

Land Use and Forests of Australia (2018) Catchment Scale Land


Land use and forest cover

- 1 Conservation and natural environments Non-forest 2 Conservation and natural environments - Woodland forest
- 3 Conservation and natural environments Non-woodland forest

#### Proportion of each land class in area




#### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







**Total Vegetation Cover [%]** 

% Area protected from water erosion (>70%)







**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

Derived from


Use of Australia

(2018) and Forests of Australia (2018)




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 90-80-70-60 feb Jan way In War PQ 12 month tern Ecosystem Research Infrastructure Australian Government



## **Conservation and natural environments non forest**



12%2000


5201070010

· 32°10'50°10


0.30%

Land use and forest cover


Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 








0


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


## **Conservation and natural environments non forest timeseries**



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

## **Conservation and natural environments Woodland forest**



12010-20001


5201070010

· 3201050010


0.30%

Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Area protected 100.0% of region (37,150 ha)

**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of the map using baseline from 2001 to 2019.



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



---- above\_70 **—** 10th **——** 50th **——** 2025 Feb




Water erosion historical monthly area protected (Total Veg Cov>70%)

## Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests

Land use and forest cover


**Total Vegetation Cover [%]** 




of Australia (2018)

1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Cropping - Non-irrigated

#### Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)






% Area protected from water erosion (>70%)




Area not

**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.




Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


records for that month of the map using baseline from 2001 to 2019.


in the lowest 10% of



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Wind erosion historical monthly area protected (Total Veg Cov >50%)

## Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 












Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





## **Grazing non forest**


12%200

52°10'TO010


1 32°10'50010

0.30%


Land use and forest cover




Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 





Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Use of Australia (2018) and Forests of Australia (2018)



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






## Cropping


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Agriculture - Cropping - Non-irrigated


**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



**Total Vegetation Cover Decile [%]** 








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-90 80 70 60 50 40 4eb Jan In way P.Q1 Wal month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Gnowangerup\_(S) (total 426,700 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	426,700	100.0% 426,650	99.6% 424,825	88.3% 376,800	54.6% 232,875	11.5% 49,100	2.6% 11,175
Conservation and natural environments	62,450	100.0% 62,450	100.0% 62,450	98.0% 61,175	80.7% 50,425	18.9% 11,800	2.7% 1,675
Conservation and natural environments non forest	24,600	100.0% 24,600	100.0% 24,600	96.0% 23,625	69.0% 16,975	14.3% 3,525	1.9% 475
Conservation and natural environments Woodland forest	37,150	100.0% 37,150	100.0% 37,150	99.2% 36,850	88.2% 32,750	22.1% 8,225	3.2% 1,200
Agriculture	361,575	100.0% 361,525	99.5% 359,775	86.6% 313,275	50.1% 181,100	10.3% 37,125	2.6% 9,475
Grazing	8,575	100.0% 8,575	100.0% 8,575	91.0% 7,800	60.3% 5,175	17.8% 1,525	5.5% 475
Grazing non forest	8,525	100.0% 8,525	100.0% 8,525	90.9% 7,750	60.1% 5,125	17.6% 1,500	5.3% 450
Cropping	353,000	100.0% 352,950	99.5% 351,200	86.5% 305,475	49.8% 175,925	10.1% 35,600	2.5% 9,000

