Total vegetation cover soil protection Region:LGA Katanning (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: November 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Nov 2025


Land use and forest cover




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

889


Total Vegetation Cover Decile [%]

tern Ecosystem Research Infrastructure












Conservation and natural environments




Conservation and natural environments timeseries







Conservation and natural environments non forest




Total Vegetation Cover [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area 72.7% 70 60 50 Area (%) 30 26.6% 20 10 0.7% 51%-70% 0-30% 31%-50% 71%-100% Total Vegetation Cover class

















Conservation and natural environments non forest timeseries













Conservation and natural environments Woodland forest




Total Vegetation Cover [%]









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.



















Conservation and natural environments Woodland forest timeseries





month






Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest Catchment Scale Land Use of Australia (2018) and Forests 2 Agriculture - Cropping - Non-irrigated of Australia (2018)

Proportion of each land class in area 94.2% 80 20 5.8% 0.50 0.75 1.25 0.00 0.25 1.00 -0.25Land use class







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Agriculture timeseries






month






Grazing




100 - 100.0% 80 - 20 - 20 - 0.4 - 0.3 - 0.2 - 0.1 0.0 0.1 0.2 0.3 0.4 Land use class

Proportion of each land class in area







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Grazing timeseries





Wind erosion historical monthly area protected (Total Veg Cov >50%)






Grazing non forest


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]















Grazing non forest timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)






Cropping


Land use and forest cover




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]













Cropping timeseries





---- 2010

→ 2024 **→** 2025

Katanning_(S) (151,450 ha and no data 322 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	151,450	100.0% 151,425	99.9% 151,275	91.4% 138,425	69.0% 104,550	30.5% 46,250	13.8% 20,850
Conservation and natural environments	13,300	100.0% 13,300	99.4% 13,225	78.0% 10,375	48.9% 6,500	16.2% 2,150	6.2% 825
Conservation and natural environments non forest	10,525	100.0% 10,525	99.3% 10,450	72.7% 7,650	38.0% 4,000	9.3% 975	3.3% 350
Conservation and natural environments Woodland forest	2,775	100.0% 2,775	100.0% 2,775	98.2% 2,725	90.1% 2,500	42.3% 1,175	17.1% 475
Agriculture	135,625	100.0% 135,625	99.9% 135,550	92.9% 126,050	71.5% 97,000	32.2% 43,675	14.6% 19,850
Grazing	7,875	100.0% 7,875	100.0% 7,875	94.6% 7,450	76.8% 6,050	39.7% 3,125	20.3% 1,600
Grazing non forest	7,875	100.0% 7,875	100.0% 7,875	94.6% 7,450	76.8% 6,050	39.7% 3,125	20.3% 1,600
Cropping	127,750	100.0% 127,750	99.9% 127,675	92.8% 118,600	71.2% 90,950	31.7% 40,550	14.3% 18,250







