Total vegetation cover soil protection Region:LGA Kent (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Mar 2023

Proportion of each land class in area




70.7% 60 · 50 Area (%) 30 20 16.8% 10 -<u>0.0%0.2%0.0%0.0%0.0</u> 10 Land use class


Total Vegetation Cover [%]



Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 3.6% of region (19,677)ha) Area protected 96.4% of region (526,898 ha)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]













Conservation and natural environments


62.1% Land use and forest cover 60 50 Catchment Scale Land Use and Forests of Australia (2018) Derived from 40 ${\bf 1}$ Conservation and natural environments - Nonforest 37.8% 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Catchment Scale Land 30 Use of Australia (2018) and Forests of Australia (2018) 3 Conservation and natural environments - Non-woodland forest 20 10 --0.5 0.5 1.0 1.5 0.0 2.0 Land use class


Total Vegetation Cover [%] Trole-total Tro




Proportion of each land class in area







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Conservation and natural environments timeseries






Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Australia (2018)

Total Vegetation Cover [%] Type Jobo Cover [%] Type Jobo Cover [%] Type Jobo Cover [%]


Proportion of vegetation cover class in area 100 96.6% 80 - 60 - 60 - 20 - 20 - 0.1% 0.2% 3.1% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

Area not protected 3.4% of region (1,800 ha) Area protected 96.6% of region (51,150 ha)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments non forest timeseries










Water erosion historical monthly area protected (Total Veg Cov>70%)


Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%] Type Jobo Cover [%] Type Jobo Cover [%] Type Jobo Cover [%]


Proportion of vegetation cover class in area 100 - 99.7% 80 - 99.7% 40 - 20 - 0.0% 0.0% 0.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Conservation and natural environments Woodland forest timeseries





Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated (2018) and Forests of Australia (2018)

100 - 99.6% 80 - (%) 60 - 20 - 0.25 0.00 0.25 0.50 0.75 1.00 1.25 Land use class


Proportion of each land class in area

Total Vegetation Cover [%] Treleration Tre











% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Agriculture timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Typic Tools Typ


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Cropping timeseries









Kent_(S) (546,575 ha and no data 15,860 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	546,575	100.0% 546,400	99.8% 545,650	96.4% 526,850	79.7% 435,775	25.4% 138,600	9.4% 51,400
Conservation and natural environments	147,675	100.0% 147,650	99.9% 147,550	98.6% 145,650	90.5% 133,700	13.7% 20,175	2.9% 4,250
Conservation and natural environments non forest	52,950	100.0% 52,925	99.8% 52,825	96.6% 51,175	82.1% 43,450	18.8% 9,975	5.9% 3,125
Conservation and natural environments Woodland forest	94,550	100.0% 94,550	100.0% 94,550	99.7% 94,300	95.3% 90,075	10.7% 10,100	1.2% 1,100
Agriculture	395,525	100.0% 395,500	99.8% 394,900	95.6% 378,275	75.7% 299,575	29.6% 117,100	11.7% 46,200
Cropping	394,150	100.0% 394,125	99.8% 393,525	95.6% 376,925	75.7% 298,500	29.6% 116,600	11.7% 45,975







