Total vegetation cover soil protection Region:LGA Kondinin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: August 2022

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Vegetation Cover Aug 2022

9 Agriculture - Cropping - Irrigated


13 Other uses


10 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated

12 Production native forests and plantation


Legend with land class forest cover and number, i.e. Forests is 12 Land use and forest cover 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Land Use and Forests Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale Lang 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests of Australia (2018) 8 Agriculture - Cropping - Non-irrigated

Proportion of each land class in area







Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]












Conservation and natural environments


Proportion of each land class in area




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area 70 - 60 - 60 - 50 - 60 - 70 - 71%-100% 8 40 - 20 - 70 - 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 30.9% of region (114,731 ha) Area protected 69.1% of region (256,568 ha)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Conservation and natural environments timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%) 100 2003 90 2013 80 **←** 2014 **→** 2015 75 × 2017 2019 70 **→** 2021 2022 65


month






Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Stell Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Conservation and natural environments non forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%) 100 2003 90 80 ~ 2011 2013 **←** 2014 70 **2015 →** 2017 60 **→** 2021 2022

month


Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments Woodland forest


Land use and forest cover




Total Vegetation Cover [%]

78.1%


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the **Total Vegetation Cover Anomaly [%]** 10 lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












Conservation and natural environments Woodland forest timeseries






month

Water erosion historical monthly area protected (Total Veg Cov>70%)






Agriculture


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non forest Catchment Scale_Lar 2 Agriculture - Cropping - Non-irrigated Use of Australia (2018) and Forests of Australia (2018)

Proportion of each land class in area 100.0% 100 80 Area (%) 40 20 0.75 1.25 -0.250.00 0.25 0.50 1.00 Land use class


Total Vegetation Cover [%]









% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Agriculture timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Typic Ty


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Cropping timeseries









Kondinin_(S) (741,350 ha and no data 2,903 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	741,350	99.9% 740,525	98.7% 731,900	81.5% 603,950	52.1% 386,250	4.5% 33,100	1.3% 9,550
Conservation and natural environments	371,300	99.8% 370,575	97.6% 362,225	69.1% 256,700	42.0% 155,975	1.9% 6,875	0.5% 1,750
Conservation and natural environments non forest	163,950	99.6% 163,375	96.0% 157,375	57.8% 94,800	29.2% 47,800	2.5% 4,025	0.9% 1,500
Conservation and natural environments Woodland forest	207,350	99.9% 207,200	98.8% 204,850	78.1% 161,900	52.2% 108,175	1.4% 2,850	0.1% 250
Agriculture	357,550	100.0% 357,550	100.0% 357,400	94.1% 336,450	62.1% 222,175	6.1% 21,650	1.4% 4,875
Cropping	357,500	100.0% 357,500	100.0% 357,350	94.1% 336,400	62.1% 222,150	6.0% 21,625	1.4% 4,875







