Total vegetation cover soil protection Region:LGA Kulin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: January 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Jan 2023


Proportion of each land class in area






Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] Anomaly show how many percetage points each - 20 pixel is from the mean. That is, red pixels - 10 are about 20% lower than the - 0 mean of that pixel. The mean is only for the -10month of the map using baseline from 2001 to -20 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]














Conservation and natural environments


50.3% 49.7% 50 -Land use and forest cover 40 Catchment Scale Land Use and Forests of Australia (2018 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland Catchment Scale Use of Australia (2018) and Forests 20 of Australia (2018) 10 0.50 -0.250.00 0.25 0.75 1.25 1.00 Land use class







Proportion of each land class in area




















Conservation and natural environments timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments non forest

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)

Area not protected 8.7% of region (1,990 ha) Area protected 91.3% of region (20,885 ha)



















Conservation and natural environments non forest timeseries












Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) 1 Conservation and natural environments - Woodland forest 1 Australia (2018)




Proportion of vegetation cover class in area 100 - 99.3% 80 - 99.3% 40 - 20 - 0.0% 0.0% 0.7% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class



















Conservation and natural environments Woodland forest timeseries





Agriculture

Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) and Forests of Australia (2018)

100 - 100.0% 80 - (%) 60 - 40 - 20 -

Proportion of each land class in area

Total Vegetation Cover [%] Tylor Toolo Tyl



1.0

Land use class

1.5


2.5

2.0

-0.5


0.0

0.5








% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



















Agriculture timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Typic Tubelo Ty


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mae using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Cropping timeseries









Kulin_(S) (466,900 ha and no data 4,933 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	466,900	100.0% 466,875	99.9% 466,525	93.0% 434,250	67.5% 315,375	21.5% 100,400	7.9% 37,075
Conservation and natural environments	46,625	99.9% 46,600	99.9% 46,600	95.3% 44,450	73.1% 34,100	7.8% 3,625	2.5% 1,150
Conservation and natural environments non forest	22,875	99.9% 22,850	99.9% 22,850	91.3% 20,875	61.3% 14,025	9.2% 2,100	3.2% 725
Conservation and natural environments Woodland forest	23,750	100.0% 23,750	100.0% 23,750	99.3% 23,575	84.5% 20,075	6.4% 1,525	1.8% 425
Agriculture	415,550	100.0% 415,550	99.9% 415,300	93.1% 386,875	67.2% 279,425	23.0% 95,725	8.5% 35,200
Cropping	415,350	100.0% 415,350	99.9% 415,100	93.1% 386,675	67.3% 279,325	23.0% 95,650	8.5% 35,175







