Total vegetation cover soil protection Region:LGA Kulin (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: October 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Oct 2025


Proportion of each land class in area






Total Vegetation Cover [%] Tylerbools Ty

Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] Anomaly show how many percetage points each - 20 pixel is from the mean. That is, red pixels - 10 are about 20% lower than the - 0 mean of that pixel. The mean is only for the -10month of the map using baseline from 2001 to -20 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]













Conservation and natural environments


50.3% 49.7% 50 -Land use and forest cover 40 Catchment Scale Land Use and Forests of Australia (2018 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland of forest Catchment Scale Use of Australia (2018) and Forests of Australia (2018) 20 10 0.50 0.00 0.25 0.75 1.25 -0.251.00





Land use class

Proportion of each land class in area




















Conservation and natural environments timeseries






Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




80 - 91.9% 80 - 60 - 20 - 7.8% 0 - 0.3% Total Vegetation Cover class in area

Area not protected 8.1% of region (1,865 ha) Area protected 91.9% of region (21,160 ha)



















Conservation and natural environments non forest timeseries






month






Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Proportion of vegetation cover class in area 95.3% 80 - 95.3% 60 - 20 - 20 - 4.7% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

Area not protected 4.7% of region (1,117 ha) Area protected 95.3% of region (22,658 ha)



















Conservation and natural environments Woodland forest timeseries











Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Cropping - Non-irrigated

Proportion of each land class in area




Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mae using baseline from 2001 to 2019.















Agriculture timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the mae using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Cropping timeseries









Kulin_(S) (467,550 ha and no data 4,283 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	467,550	100.0% 467,425	99.8% 466,625	94.0% 439,400	68.6% 320,775	23.3% 109,150	9.7% 45,550
Conservation and natural environments	46,800	100.0% 46,800	99.8% 46,725	93.6% 43,800	71.4% 33,425	9.9% 4,625	2.2% 1,025
Conservation and natural environments non forest	23,025	100.0% 23,025	99.7% 22,950	91.9% 21,150	63.3% 14,575	10.6% 2,450	3.0% 700
Conservation and natural environments Woodland forest	23,775	100.0% 23,775	100.0% 23,775	95.3% 22,650	79.3% 18,850	9.1% 2,175	1.4% 325
Agriculture	415,700	100.0% 415,650	99.9% 415,200	94.3% 391,875	68.5% 284,950	24.9% 103,475	10.5% 43,725
Cropping	415,500	100.0% 415,450	99.9% 415,000	94.3% 391,675	68.5% 284,775	24.9% 103,425	10.5% 43,725







