Total vegetation cover soil protection Region:LGA Menzies_(S) WA

Date: July 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jul 2024


Proportion of each land class in area






% Area protected from water erosion (>70%)

Area not protected 80.8% of region (9,920,664 ha) Area protected 19.2% of region (2,357,386 ha)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Conservation and natural environments

Proportion of each land class in area










protected 83.4% of region (7,847,565 ha) Area protected 16.6% of region (1,561,985 ha)

Area not % Area protected from wind erosion (>50%) protected 15.0% of region (1,411,432 ha) Area protected 85.0% of region (7,998,118 ha)











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)




—— 10th


—— 50th


—— 2024 Jul

Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments non forest


















protected 85.6% of region (7,387,708 ha) Area protected 14.4% of region (1,242,792 ha)













Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Woodland forest









Proportion of vegetation cover class in area


Area not

020;0~×


 \hat{x}^{n}












---- above_70


— 10th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)


Agriculture


Proportion of each land class in area




region (559,959

ha)







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels **Total Vegetation Cover Anomaly [%]** Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are - 20 are about 20% lower than the mean of that - 0 in the lowest 10% of records for that month of pixel. The mean is only for the ____ month of the map using baseline from 2001 to 2019. -20 the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing


Proportion of each land class in area





region (559,959

ha)
















Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest










Proportion of vegetation cover class in area


ha)
















Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing Woodland forest








Proportion of vegetation cover class in area




Area not

















Grazing Woodland forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)



Menzies_(S) (12,278,050 ha and no data 113,712 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	12,278,050	99.5% 12,213,925	87.3% 10,721,775	19.2% 2,357,800	2.7% 331,125	1.1% 135,300	0.4% 54,875
Conservation and natural environments	9,409,550	99.5% 9,357,950	84.8% 7,981,625	16.6% 1,565,700	1.2% 110,100	0.2% 14,350	0.1% 7,750
Conservation and natural environments non forest	8,630,500	99.4% 8,578,925	83.5% 7,205,550	14.4% 1,242,475	1.1% 98,125	0.2% 13,725	0.1% 7,750
Conservation and natural environments Woodland forest	779,050	100.0% 779,025	99.6% 776,075	41.5% 323,225	1.5% 11,975	0.1% 625	0.0% 0
Agriculture	2,511,025	99.9% 2,508,575	96.4% 2,420,275	22.3% 560,875	1.6% 41,050	0.2% 5,450	0.1% 2,625
Grazing	2,511,025	99.9% 2,508,575	96.4% 2,420,275	22.3% 560,875	1.6% 41,050	0.2% 5,450	0.1% 2,625
Grazing non forest	1,854,975	99.9% 1,852,525	95.2% 1,766,175	18.0% 333,250	1.7% 30,850	0.3% 5,175	0.1% 2,600
Grazing Woodland forest	656,050	100.0% 656,050	99.7% 654,100	34.7% 227,625	1.6% 10,200	0.0% 275	0.0% 25

